Energy levels, radiative rates, and lifetimes for transitions in W LVIII

Kanti M. Aggarwal and Francis P. Keenan

Astrophysics Research Centre, School of Mathematics and Physics, Queen's University Belfast,
Belfast BT7 1NN, Northern Ireland, UK.

arXiv:1406.2838v1 [physics.atm-clus] 11 Jun 2014

ABSTRACT

Energy levels and radiative rates are reported for transitions in Cl-like W LVIII. Configuration interaction (CI) has been included among 44 configurations (generating 4978 levels) over a wide energy range up to 363 Ryd, and the general-purpose relativistic atomic structure package (GRASP) adopted for the calculations. Since no other results of comparable complexity are available, calculations have also been performed with the flexible atomic code (FAC), which help in assessing the accuracy of our results. Energies are listed for the lowest 400 levels (with energies up to $\sim$ 98 Ryd), which mainly belong to the $3s^2 3p^5$, $3s3p^6$, $3s^2 3p^4 3d$, $3s^2 3p^3 3d^2$, $3s3p^4 3d^2$, $3s^2 3p^2 3d^3$, and $3p^6 3d$ configurations, and radiative rates are provided for four types of transitions, i.e. E1, E2, M1, and M2. Our energy levels are assessed to be accurate to better than 0.5%, whereas radiative rates (and lifetimes) should be accurate to better than 20% for a majority of the strong transitions.

Received January 29, 2014; accepted June 11, 2014

Running Title: *K. M. Aggarwal and F. P. Keenan / Atomic Data and Nuclear Data Tables xxx (2014) xxx-xxx*

Contents

1. Introduction 00
2. Energy levels 00
3. Radiative rates 00
4. Lifetimes 00
5. Conclusions 00

Acknowledgments 00

References 00

Explanation of Tables

Tables

1. Configurations and levels of W LVIII. 00
2. Energies (Ryd) for the lowest 400 levels of W LVIII and their lifetimes (in s). 00
3. Transition wavelengths (λ_{ij} in Å), radiative rates (A_{ji} in s^{-1}), oscillator strengths 00
   (f_{ij}, dimensionless), line strengths S (in atomic unit) for electric dipole (E1), and 00
   A_{ji} for electric quadrupole (E2), magnetic dipole (M1), and magnetic quadrupole (M2) transitions in W LVIII. 00

1. Introduction

Recently there have been several studies ([1] – [4]) of atomic parameters (mainly energy levels and radiative decay rates) for tungsten (W) ions. Similarly, laboratory measurements have been made for emission lines of W ions – see for example, Utter et al. [5] and Clementson et al. [6]. These data have been compiled by the NIST (National Institute of Standards and Technology) team [7], and are available at their website `http://physics.nist.gov/PhysRefData/ASD/levels_form.html`. It is important to have such results because W is a major constituent of fusion reactor devices, and hence data are required for assessing and controlling the radiation loss. With the ongoing ITER project, the need for atomic data for several W ions has become even greater.

Unfortunately, the only calculation available in the literature for (Cl-like) W LVIII is by Mohan et al. [8], who have recently reported results for energy levels, oscillator strengths (f- values), radiative rates (A- values), line strengths (S- values), and lifetimes (τ). However, they listed energies for only 31 levels of the $3s^23p^5$, $3s3p^6$, and $3s^23p^43d$ configurations, and A-values for only transitions from the two levels of the ground state, i.e. $(3s^23p^5)\ ^2P^o_{3/2,1/2}$. This amount of data is too limited for the modelling of plasmas, as demonstrated in Fig. 2 and Table 6 of Del Zanna et al. [9] for Cl-like iron (Fe X). Level populations deduced using restricted and larger sets of atomic data may differ by up to a factor of five. Therefore, in this paper we provide energies (and lifetimes) for the lowest 400 levels of W LVIII, which mainly belong to the $3s^23p^5$, $3s3p^6$, $3s^23p^43d$, $3s^23p^33d^2$, $3s3p^43d^2$, $3s^23p^23d^3$, and $3p^63d$ configurations. Furthermore, we also list A-values for all transitions among these levels, and for four types, namely electric dipole (E1), electric quadrupole (E2), magnetic dipole (M1), and magnetic quadrupole (M2).

For the calculations, we have adopted the multi-configuration Dirac-Fock (MCDF) code, developed by Grant et al. [10]. It is a fully relativistic code, based on the jj coupling scheme. Further higher-order relativistic corrections arising from the Breit interaction and QED (quantum electrodynamics) effects have also been included. However, this initial version has undergone several revisions, known as GRASP (general-purpose relativistic atomic structure package) [11], GRASP2 [12], and GRASP2K [13]–[14]. The version adopted here has been revised by one of its authors (Dr. P. H. Norrington), and is referred to as GRASP0. It is freely available at `http://web.am.qub.ac.uk/DARC/`, and has been successfully used by ourselves and others to calculate atomic data for a wide range of ions. Furthermore, GRASP0 provides comparable results with other versions, and has also been employed by Mohan et al. [8].

2. Energy levels

Since W is a heavy element (Z = 74), the contributions of various relativistic operators are (expectedly) important in the determination of energy levels and subsequently other parameters. However, the inclusion of *configuration interaction* (CI) is equally important for several of its ions – see for example, Fournier [1]. Furthermore, the importance of CI for Cl-like ions has already been established – see for example, Ti VI [15], Cr VIII [16], Fe X [17], and Co XI [18]. For this reason Mohan et al. [8] included CI among 15 configurations, namely $3s^23p^5$, $3s3p^6$, $3s^23p^43d$, $3s^23p^44\ell$, $3s3p^53d$, $3s^23p^33d^2$, $3s3p^43d^2$, $3p^63d$, $3s^23p^23d^3$, $3p^53d^2$, $3s^23p^34d^2$, and $3s^23p^34f^2$. However, inclusion of this limited CI is not fully sufficient for an accurate determination of energy levels and radiative rates (A- values), as recently discussed by us [19].

In our earlier work [19], we included extensive CI among 20 even (1–20) and 18 odd (25–42) configurations, listed in Table 1. These 38 configurations generate a total of 3749 levels and cover a wide range of energy up to 363 Ryd. The 15 configurations included by Mohan et al. [8] are also listed in Table 1 (called GRASP1). It is clear from the table that these authors omitted several important configurations, such as $3s3p^33d^3$, $3s^23p3d^4$, and $3s3p^23d^4$, which together generate 1716 levels in the 92–196 Ryd energy range. The inclusion of these configurations substantially increases the size of a calculation, especially given that the 15 configurations of Mohan et al. generate only 1163 levels. However, the energy range of these three configurations is well below that of $3s^23p^44\ell$ included by Mohan et al. Levels of these three and other configurations (listed in Table 1) closely interact, intermix, and influence the energies of others, such as $3s^23p^23d^3$ and $3s^23p^33d^2$ for even and odd parity levels. It is possible that Mohan et al. excluded most of the relevant configurations because they were only interested in the 31 levels of the $3s^23p^5$, $3s3p^6$, and $3s^23p^43d$ configurations, for which discrepancies in energy levels and A- values are not very appreciable [19]. However, two of the configurations included by them, namely $(3s^23p^3)\ 4d^2$ and $4f^2$, are not important, because their levels lie in a very high energy range, i.e. $\geq$ 413 Ryd, and hence have little effect on the lower levels. Therefore, we have *excluded* these two configurations from our calculations, but will discuss their impact later. However, we have included a further 4 even

($3s^23d^5$, $3p^23d^5$, $3s3d^6$, and $3d^7$) and 2 odd ($3s3p3d^5$ and $3p3d^6$) configurations, which generate 1229 levels in the 157–303 Ryd energy range. All the 44 configurations included in our calculations are listed in Table 1 under the column GRASP2. Finally, as in our earlier work and that of Mohan et al., we have adopted the option of *extended average level* (EAL), in which a weighted (proportional to $2j$+1) trace of the Hamiltonian matrix is minimised. This yields results comparable to other options, such as *average level* (AL) – see for example, Aggarwal et al. for several ions of Kr [20] and Xe [21].

Energies for the lowest 400 levels of W LVIII are listed in Table 2, which correspond to the GRASP2 calculations with 44 configurations (listed in Table 1) generating 4978 levels in total. These listed levels mostly belong to the $3s^23p^5$, $3s3p^6$, $3s^23p^43d$, $3s^23p^33d^2$, $3s3p^43d^2$, $3s^23p^23d^3$, and $3p^63d$ configurations, but energies for all levels may be obtained electronically on request from one of the authors (KMA: K.Aggarwal@qub.ac.uk). Unfortunately, experimental energies for W LVIII (see the NIST website) are limited to only a few levels and are not very accurate because most are determined by interpolation and extrapolation. Nevertheless, detailed comparisons with the NIST listings and those of Mohan et al. [8] were undertaken in our earlier work [19] for the lowest 31 levels belonging to the $3s^23p^5$, $3s3p^6$, and $3s^23p^43d$ configurations. As noted earlier, the Mohan et al. results are higher by up to 0.07 Ryd for some of the levels, mainly because of the limited CI included by them. We also note that for these 31 levels there are no differences between the present calculations (with a slightly larger CI) and the earlier ones [19], in both magnitude and ordering. For the levels of other configurations, listed in Table 2, it is difficult to fully assess the accuracy of our energy levels, because no other theoretical or experimental results exist. Therefore, to make such an assessment we have employed the *Flexible Atomic Code* (FAC) of Gu [22], available from the website `http://sprg.ssl.berkeley.edu/~mfgu/fac/`. This is also a fully relativistic code which provides results of comparable accuracy, particularly for energy levels and A- values, as already shown for several other ions, see for example: Aggarwal et al. for Kr [20] and Xe [21] ions, and Aggarwal and Keenan for Ti ions ([15] and [23]–[24]), and W XL [25].

As with GRASP, we have performed a series of calculations with the FAC code with increasing amount of CI, but focus only on three, namely (i) FAC1, which includes 5821 levels among 3*7, $3s^23p^4$ 4*1, $3s^23p^4$ 5*1, $3s3p^5$ 4*1, $3s3p^5$ 5*1, $3p^6$ 4*1, $3p^6$ 5*1, and $3s^23p^33d$ 4*1; (ii) FAC2; which includes an additional 3339 levels of $3s^23p^4$ 6*1, $3s3p^5$ 6*1, $3p^6$ 6*1, $3s^23p^33d$ 5*1, and $3s^23p^33d$ 6*1; and finally (iii) FAC3, which includes a further 9299 levels of $3s^23p^3$ 4*2, $3s^23p^3$ 5*2, $3s^23p^3$ 4*1 5*1, $3p^5$ 4*2, and $3p^53d$ 4*1, i.e. 18,459 levels in total.

For Cl-like ions, CI is very important [15]–[18], and levels from different configurations mix strongly. Therefore, it is very difficult to assign a unique label for each level. Mixing coefficients for the 31 levels of the $3s^23p^5$, $3s3p^6$, and $3s^23p^43d$ configurations were provided in Table 2 of [19] from the GRASP1 calculations. In Table A we list the mixing coefficients for the lowest 50 levels, which include three levels of the $3s^23p^5$ and $3s3p^6$ configurations, but only a few of $3s^23p^43d$ and $3s^23p^33d^2$. Moreover, these coefficients are from our GRASP2 calculations and hence differ from those of [19], particularly because all coefficients with magnitude $\geq |0.20|$ are listed here.

Some of the levels are almost pure, such as $3s^23p^5\ ^2P^o_{3/2,1/2}$, and some are unambiguously identifiable (because of their clear dominance), such as: $3s^23p^4(^3P)3d\ ^4D_{3/2,5/2,7/2}$, i.e. 2, 3 and 7. However, some of the levels, such as $3s^23p^4(^3P)3d\ ^4P_{1/2,3/2,5/2}$, are highly mixed, and can therefore easily interchange with others. Unfortunately, a majority of the W LVIII levels are highly mixed, as shown in Table A. For this reason, the LSJ designations provided in Table 2 are only for guidance and should not be taken as definitive. The only confirm values associated with the levels are those of J^π.

In Table B we compare our energies for the lowest 50 levels from the GRASP2 calculations with those from FAC. Results from all three FAC calculations (FAC1, FAC2, and FAC3) described above are included in this table. Differences between the GRASP2 and FAC energies are up to 0.2 Ryd ($\sim$0.5%) for some of the levels, such as 14–21. However, for a majority of the levels the discrepancies, if any, are below 0.1 Ryd, which is highly satisfactory. In general, the orderings from the two independent codes are also the same, although there are a few instances where these differ slightly, such as for 10/11 and 27/28. More importantly, all calculations from FAC agree within 0.03 Ryd and the orderings are also nearly the same. This clearly indicates that the additional CI included in the FAC2 and FAC3 calculations is of no advantage, and that included in the GRASP2 and FAC1 calculations is fully sufficient for the accurate determination of energy levels. Finally, based on this comparison as well as the one shown in Table 3 of [19], we can confidently state that our energy levels listed in Table 2 are accurate to $\sim$ 0.2 Ryd, or equivalently to 0.5%.

3. Radiative rates

The absorption oscillator strength (f_{ij}), a dimensionless quantity, and radiative rate A_{ji} (in s^{-1}) for a transition $i \rightarrow j$ are related by the following expression:

$$f_{ij} = \frac{mc}{8\pi^2 e^2}\lambda_{ji}^2 \frac{\omega_j}{\omega_i} A_{ji} = 1.49 \times 10^{-16} \lambda_{ji}^2 \frac{\omega_j}{\omega_i} A_{ji} \tag{1}$$

where m and e are the electron mass and charge, respectively, c the velocity of light, λ_{ji} the transition wavelength in Å, and ω_i and ω_j the statistical weights of the lower i and upper j levels, respectively. Similarly, the oscillator strength f_{ij} (dimensionless) and the line strength S (in atomic units, 1 a.u. = 6.460×10^{-36} cm^2 esu^2) are related by the following standard equations:

for the electric dipole (E1) transitions:

$$A_{ji} = \frac{2.0261 \times 10^{18}}{\omega_j \lambda_{ji}^3} S \qquad \text{and} \qquad f_{ij} = \frac{303.75}{\lambda_{ji}\omega_i} S, \tag{2}$$

for the magnetic dipole (M1) transitions:

$$A_{ji} = \frac{2.6974 \times 10^{13}}{\omega_j \lambda_{ji}^3} S \qquad \text{and} \qquad f_{ij} = \frac{4.044 \times 10^{-3}}{\lambda_{ji}\omega_i} S, \tag{3}$$

for the electric quadrupole (E2) transitions:

$$A_{ji} = \frac{1.1199 \times 10^{18}}{\omega_j \lambda_{ji}^5} S \qquad \text{and} \qquad f_{ij} = \frac{167.89}{\lambda_{ji}^3\omega_i} S, \tag{4}$$

and for the magnetic quadrupole (M2) transitions:

$$A_{ji} = \frac{1.4910 \times 10^{13}}{\omega_j \lambda_{ji}^5} S \qquad \text{and} \qquad f_{ij} = \frac{2.236 \times 10^{-3}}{\lambda_{ji}^3\omega_i} S. \tag{5}$$

In our calculations with the GRASP code the S- (and subsequently A- and f-) values have been determined in both the length and velocity forms, i.e. the Babushkin and Coulomb gauges in the relativistic nomenclature. Since the velocity form is considered to be comparatively less accurate, in Table 3 we present results in the length form alone. Included in this table are the transition wavelengths (λ_{ij} in Å), radiative rates (A_{ji} in s^{-1}), oscillator strengths (f_{ij}, dimensionless), and line strengths (S in a.u.) for all 19,862 electric dipole (E1) transitions among the lowest 400 levels of W LVIII. Also, in calculating the above parameters we have used the Breit and QED-corrected theoretical energies listed in Table 2, where the *indices* used to represent the lower and upper levels of a transition are also defined. However, only A- values are included in Table 3 for the 30,058 electric quadrupole (E2), 40,771 magnetic dipole (M1), and 28,365 magnetic quadrupole (M2) transitions. Corresponding results for f- or S- values can be easily obtained using Eqs. (1-5).

To assess the accuracy of our radiative data, in Table C we compare the f- values from our GRASP2 calculations with those from FAC1 and FAC2. All transitions with I $\leq$ 5 and J $\leq$ 50 are included in the table. Also, the ratio of the velocity/length forms is listed, because it gives an indication of the accuracy of the f- (or A-) values. However, we emphasise here although good agreement between the two forms is desirable, it is not a necessary condition for accuracy. This is because different sets of configurations may lead to good agreement between the two forms, but entirely different results in magnitude, mostly for

the weaker (inter-combination) transitions, but sometimes also for allowed ones, which are comparatively stable and larger in magnitude. Examples of the differences between the two forms can be seen in some of our earlier papers, such as [26]–[27].

The velocity/length ratio is generally within 20% of unity for most of the transitions listed in Table C. However, for some weak transitions (such as 1–11, 2–38, 3–16, and 5–44/46), the ratio is higher, up to factor of 1.7. Nevertheless, most such transitions have f $\sim 10^{-5}$ (or less) and their magnitudes are highly variable with differing amount of CI. Generally, with increasing amount of CI, the f- values for strong transitions converge, but this is not necessarily the case for weaker ones. For the same reasons, differences between the f- values from the GRASP and FAC calculations are up to a factor of two for some weak transitions, such as 1–11 and 5–26. Otherwise, for most transitions listed in Table C the f- values from the GRASP and FAC calculations agree within 20%, which is highly satisfactory. Finally, as for the energy levels, f- values from FAC1 and FAC2 are comparable for most transitions, and therefore confirm, yet again, that the CI included in the GRASP2 and FAC1 calculations is sufficient to produce accurate radiative rates.

Quinet [2] has calculated the energy interval of the $3s^2 3p^5\ ^2P^o_{3/2,1/2}$ levels (1 and 10) to be 25.5738 Ryd which compares well with our result of 25.5358 Ryd – see Table 2. Like us he adopted the same GRASP0 version of the code and also calculated A- value for the 1–10 (M1 and E2) forbidden transition to be 3.95×10^8 s^{-1}, which fully agrees with our result of 3.93×10^8 s^{-1}. However, this comparison is too restricted and in the absence of the availability of other similar data, assessing the reliability of the present calcuations is not a simple task, as large discrepancies (of even orders of magnitude) have been noted in the past [28]. Nevertheless, based on the comparisons shown in Table C and our experience on a variety of ions, the accuracy of our radiative data is estimated to be better than 20%, for a majority of transitions, particularly the stronger ones.

4. Lifetimes

The lifetime τ of a level j is defined as follows:

$$\tau_j = \frac{1}{\sum_i A_{ji}}. \tag{6}$$

In Table 2 we list lifetimes for all 400 levels from our calculations with the GRASP code, which include A- values from all types of transitions, i.e. E1, E2, M1, and M2. Unfortunately, there are no measurements available with which to compare the lifetimes. However, theoretical results by Mohan et al. [8] are available for 31 levels of the the $3s^2 3p^5$, $3s3p^6$, and $3s^2 3p^4 3d$ configurations, based on calculations with the same GRASP code. However, these results are in error for several levels, by up to four orders of magnitude, as discussed and demonstrated in our earlier paper [19].

5. Conclusions

In this work, energy levels and radiative rates (for E1, E2, M1, and M2 transitions) obtained with the GRASP code have been reported for the lowest 400 levels of W LVIII. To assess the accuracy of our data, similar calculations with differing amount of CI have also been performed with the FAC code, as no other results are available in the literature. Based on comparisons of several calculations with the two independent codes, our energy levels are assessed to be accurate to $\sim$ 0.2 Ryd ($\sim$ 0.5%), whereas the accuracy for other atomic parameters, including lifetimes, is estimated to be $\sim$ 20%. Finally, energies have been calculated for up to 18,459 levels and A- values for up to 9160 levels, and these results (in electronic form) can be obtained from K.Aggarwal@qub.ac.uk.

Acknowledgment

KMA is thankful to AWE Aldermaston for financial support.

Appendix A. Supplementary data

Owing to space limitations, only part of Table 3 is presented here, the full table being made available as supplemental material in conjunction with the electronic publication of this work. Supplementary data associated with this article can be found, in the online version, at doi:nn.nnnn/j.adt.2014.nn.nnn.

References

[1] K. Fournier. At. Data Nucl. Data Tables 68 (1998) 1.

[2] P. Quinet. J. Phys. B 44 (2011) 195007.

[3] P. Bogdanovich, R. Kisielius, At. Data Nucl. Data Tables 98 (2012) 557.

[4] V. Jonauskas, G. Gaigalas, S. Kučas. At. Data Nucl. Data Tables 98 (2012) 19.

[5] S.B. Utter, P. Beiersdorfer, E. Träbert. Can. J. Phys. 80 (2002) 1503.

[6] J. Clementson, P. Beiersdorfer, G.V. Brown, M.F. Gu, H. Lundberg, Y. Podpaly, E. Träbert. Can. J. Phys. 89 (2011) 571.

[7] A. Kramida, Y. Ralchenko, J. Reader, and NIST ASD Team. 2013 NIST Atomic Spectra Database (version 5.1) Online at: http://physics.nist.gov/asd

[8] M. Mohan, S. Aggarwal, N. Singh. Can. J. Phys. 92 (2014) 177.

[9] G. Del Zanna, K.A. Berrington, H.E. Mason. Astron. Astrophys. 422 (2004) 731.

[10] I.P. Grant, B.J. McKenzie, P.H. Norrington, D.F. Mayers, N.C. Pyper. Comput. Phys. Commun. 21 (1980) 207.

[11] K.G. Dyall, I.P. Grant, C.T. Johnson, F.A. Parpia, E.P. Plummer. Comput. Phys. Commun. 55 (1989) 425.

[12] F.A. Parpia, C.F. Fischer, I.P. Grant. 1996 Comput. Phys. Commun. 94 (1996) 249.

[13] P. Jönsson, X. He, C.F. Fischer, I.P. Grant. Comput. Phys. Commun. 177 (2007) 597.

[14] P. Jönsson P, G. Gaigalas, J. Bieroń, C.F. Fischer, I.P. Grant. Comput. Phys. Commun. 184 (2013) 2197.

[15] K.M. Aggarwal, F.P. Keenan. Phys. Scr. 88 (2013) 025302.

[16] K.M. Aggarwal, F.P. Keenan. Astron. Astrophys. 506 (2009) 1501.

[17] K.M. Aggarwal, F.P. Keenan. Astron. Astrophys. 427(2004) 763.

[18] K.M. Aggarwal, F.P. Keenan, A.Z. Msezane. Astron. Astrophys. 473 (2007) 995.

[19] K.M. Aggarwal, F.P. Keenan. Can. J. Phys. 92 (2014) xxx, http://arxiv.org/abs/1401.4110

[20] K.M. Aggarwal, F.P. Keenan, K.D. Lawson. At. Data Nucl. Data Tables 94 (2008) 323.

[21] K.M. Aggarwal, F.P. Keenan, K.D. Lawson. At. Data Nucl. Data Tables 96 (2010) 123.

[22] M.F. Gu. Can. J. Phys. 86 (2008) 675.

[23] K.M. Aggarwal, F.P. Keenan. Phys. Scr. 88 (2013) 065304.

[24] K.M. Aggarwal, F.P. Keenan. Phys. Scr. 88 (2013) 025303.

[25] K.M. Aggarwal, F.P. Keenan. Can. J. Phys. 92 (2014) 545.

[26] K.M. Aggarwal. Astrophys. J. Suppl. 118 (1998) 589.

[27] K.M. Aggarwal, V. Tayal, G.P. Gupta, F.P. Keenan. At. Data Nucl. Data Tables 93 (2007) 615.

[28] K.M. Aggarwal, F.P. Keenan. Fusion Sci. Tech. 63 (2013) 363.

Table A. Mixing coefficients (MC) for the lowest 50 levels of W LVIII. Numbers outside and inside a bracket correspond to MC and the level, respectively. See Table 2 for definitions of levels up to 400.

Index	Configuration	Level	Mixing coefficients
1	$3s^2 3p^5$	$^2P^o_{3/2}$	1.00(1)
2	$3s^2 3p^4(^3P)3d$	$^4D_{3/2}$	-0.59(2)+0.44(12)-0.28(56)+0.16(137)+0.46(45)-0.28(40)-0.23(6)
3	$3s^2 3p^4(^3P)3d$	$^4D_{5/2}$	-0.36(30)+0.61(3)-0.25(165)-0.18(47)+0.31(13)+0.45(39)-0.31(50)
4	$3s^2 3p^4(^3P)3d$	$^4P_{1/2}$	0.36(22)-0.71(4)-0.22(9)+0.46(58)-0.32(41)
5	$3s^2 3p^4(^3P)3d$	$^2F_{7/2}$	0.54(42)-0.25(7)+0.57(5)+0.53(31)-0.19(52)
6	$3s^2 3p^4(^1S)3d$	$^2D_{3/2}$	0.44(27)+0.30(12)+0.21(56)+0.24(137)-0.15(40)+0.76(6)
7	$3s^2 3p^4(^3P)3d$	$^4D_{7/2}$	-0.23(42)+0.65(7)+0.47(5)+0.21(31)+0.50(52)
8	$3s^2 3p^4(^3P)3d$	$^4F_{9/2}$	0.82(8)+0.56(48)
9	$3s^2 3p^4(^3P)3d$	$^2P_{1/2}$	-0.11(19)+0.24(22)+0.35(4)-0.67(9)+0.36(58)+0.47(41)
10	$3s^2 3p^5$	$^2P^o_{1/2}$	0.99(10)
11	$3s^2 3p^4(^1S)3d$	$^2D_{5/2}$	0.22(30)+0.47(165)-0.40(47)+0.15(13)+0.13(39)+0.24(50)+0.68(11)
12	$3s^2 3p^4(^3P)3d$	$^4P_{3/2}$	0.20(27)-0.47(12)-0.44(56)+0.45(137)+0.36(45)+0.43(40)
13	$3s^2 3p^4(^3P)3d$	$^2D_{5/2}$	-0.28(30)-0.41(3)+0.22(165)-0.14(47)+0.52(13)+0.35(39)+0.35(50)-0.41(11)
14	$3s^2 3p^3(^2D)3d^2(^3F)$	$^2D^o_{3/2}$	0.37(67)+0.19(111)-0.11(357)+0.24(459)-0.29(103)-0.26(14)+0.12(18)-0.22(174) -0.13(146)-0.38(294)+0.36(23)+0.20(398)-0.15(36)-0.25(97)+0.23(34)
15	$3s^2 3p^3(^2P)3d^2(^3F)$	$^4D^o_{1/2}$	-0.45(71)-0.24(415)-0.26(113)-0.11(85)-0.31(299)-0.20(51)-0.15(131)-0.59(15) -0.11(24)-0.33(368)
16	$3s^2 3p^3(^4S)3d^2(^1D)$	$^4D^o_{5/2}$	-0.35(93)-0.26(121)-0.22(16)-0.36(68)-0.25(141)+0.10(187)-0.20(154)-0.28(78)+ 0.41(290)-0.19(351)+0.29(25)-0.14(171)+0.27(44)
17	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4H^o_{7/2}$	0.24(94)+0.24(160)+0.21(87)-0.12(352)+0.25(144)-0.37(17)-0.17(122)-0.25(289)+ 0.37(108)-0.20(21)+0.37(293)-0.16(29)+0.36(46)
18	$3s^2 3p^3(^2D)3d^2(^3P)$	$^4F^o_{3/2}$	0.14(67)+0.33(81)+0.21(178)+0.13(357)+0.27(166)-0.25(18)+0.17(482)-0.12(91) -0.17(136)+0.18(153)-0.27(57)+0.16(23)+0.28(117)-0.33(322)+0.22(385)+0.25(36) -0.11(142)+0.37(55)
19	$3s3p^6$	$^2S_{1/2}$	0.85(19)-0.11(22)+0.31(4)-0.13(9)+0.19(58)-0.31(41)
20	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4H^o_{9/2}$	-0.43(92)-0.23(116)-0.14(35)+0.35(20)-0.12(423)-0.21(73)+0.24(176)-0.13(133) -0.55(349)+0.28(49)-0.24(168)-0.11(127)+0.17(381)
21	$3s^2 3p^3(^2P)3d^2(^3F)$	$^4F^o_{7/2}$	-0.34(94)-0.15(160)+0.14(87)-0.23(352)+0.11(32)+0.18(144)-0.30(70)-0.10(53)+ 0.16(122)-0.16(163)+0.13(99)-0.17(124)-0.19(289)-0.25(108)+0.39(21)+0.10(293)+ 0.24(360)-0.31(29)-0.11(374)+0.11(139)+0.26(46)
22	$3s^2 3p^4(^3P)3d$	$^4D_{1/2}$	-0.15(19)-0.89(22)-0.21(4)-0.31(9)+0.22(58)
23	$3s^2 3p^3(^2P)3d^2(^3F)$	$^4D^o_{3/2}$	-0.30(67)+0.29(111)+0.19(81)-0.18(357)-0.27(88)-0.21(151)-0.22(188)+0.18(18)+ 0.18(482)-0.11(294)-0.47(23)+0.30(398)-0.23(322)+0.13(385)-0.24(36)-0.10(97)
24	$3s^2 3p^3(^2P)3d^2(^3P)$	$^2S^o_{1/2}$	-0.21(71)+0.37(145)-0.15(434)+0.17(415)-0.14(113)-0.11(299)+0.14(126)-0.41(169)+ 0.15(196)+0.13(51)+0.14(131)-0.26(15)-0.38(118)+0.44(24)+0.25(368)
25	$3s^2 3p^3(^2P)3d^2(^3F)$	$^2F^o_{5/2}$	0.23(93)-0.28(121)-0.18(478)-0.21(98)+0.11(110)+0.13(16)-0.27(68)-0.28(409)+ 0.15(177)-0.19(187)-0.11(89)+0.14(134)+0.10(154)-0.20(78)+0.36(351)+0.40(25) -0.12(26)+0.25(359)+0.15(37)-0.15(44)
26	$3s^2 3p^3(^2P)3d^2(^3P)$	$^4D^o_{5/2}$	-0.23(93)-0.43(98)-0.12(33)+0.14(409)-0.11(177)+0.14(187)+0.24(416)-0.15(89) -0.12(143)+0.28(134)+0.15(290)-0.27(351)-0.11(25)-0.41(26)+0.41(359)-0.12(378) -0.11(44)
27	$3s^2 3p^4(^3P)3d$	$^4F_{3/2}$	-0.57(27)+0.57(2)+0.19(12)+0.36(137)+0.31(45)-0.27(40)
28	$3s^2 3p^3(^2D)3d^2(^1G)$	$^2I^o_{11/2}$	0.32(140)+0.39(410)-0.19(101)-0.11(120)+0.23(105)-0.38(28)-0.12(161)+0.44(43)+ 0.54(353)
29	$3s^2 3p^3(^2P)3d^2(^3P)$	$^4D^o_{7/2}$	0.24(87)+0.28(352)+0.28(32)-0.16(144)-0.23(17)-0.20(70)-0.18(99)+0.19(124) -0.20(130)-0.21(149)+0.12(289)+0.12(21)+0.31(293)+0.18(360)+0.37(29)-0.29(374)+ 0.26(139)-0.18(46)
30	$3s^2 3p^4(^3P)3d$	$^4F_{5/2}$	0.70(30)+0.38(47)+0.27(13)+0.46(39)-0.24(50)

Index	Configuration	Level	Mixing coefficients
31	$3s^2 3p^4(^1D)3d$	$^2G_{7/2}$	0.36(42)-0.14(7)+0.41(5)-0.77(31)+0.28(52)
32	$3s^2 3p^3(^4S)3d^2(^1G)$	$^4G^o_{7/2}$	0.29(94)-0.23(160)-0.10(87)-0.11(352)+0.27(32)+0.26(17)+0.13(70)-0.14(53) -0.20(453)+0.21(163)-0.20(130)-0.21(149)-0.32(21)+0.29(170)-0.29(293)+0.15(360) -0.14(29)-0.28(374)+0.26(139)
33	$3s^2 3p^3(^4S)3d^2(^3P)$	$^4P^o_{5/2}$	0.20(93)-0.13(478)-0.33(33)-0.13(110)-0.19(16)-0.18(409)-0.11(84)+0.33(416)+ 0.15(89)-0.13(143)-0.12(147)-0.20(154)-0.14(158)-0.24(290)+0.10(351)+0.18(54) -0.29(26)-0.17(359)-0.36(378)-0.18(37)-0.14(171)+0.26(44)
34	$3s^2 3p^3(^2P)3d^2(^1D)$	$^2P^o_{3/2}$	0.17(67)+0.18(111)+0.16(81)-0.28(178)-0.27(459)-0.20(103)+0.12(18)-0.18(482) -0.26(91)+0.11(136)+0.13(153)+0.23(174)+0.19(146)-0.27(294)+0.15(398)-0.15(117)+ 0.31(385)+0.32(142)+0.25(97)-0.29(34)
35	$3s^2 3p^3(^4S)3d^2(^1G)$	$^4G^o_{9/2}$	0.24(116)-0.42(35)-0.22(20)-0.11(102)-0.39(133)-0.24(156)+0.19(349)+0.14(49)+ 0.25(168)-0.33(127)+0.51(381)
36	$3s^2 3p^3(^2P)3d^2(^3P)$	$^2D^o_{3/2}$	0.28(111)-0.27(81)+0.10(178)+0.26(357)-0.16(103)-0.19(88)-0.11(151)-0.12(188) -0.31(18)-0.16(482)+0.15(91)-0.16(153)-0.24(294)-0.21(23)+0.25(398)+0.11(117)+ 0.27(322)-0.24(385)+0.39(36)
37	$3s^2 3p^3(^2P)3d^2(^1G)$	$^2F^o_{5/2}$	-0.24(478)+0.13(33)-0.39(110)+0.13(16)-0.11(68)-0.12(409)-0.15(84)-0.14(177) -0.15(416)-0.19(104)-0.33(147)+0.13(154)-0.13(78)+0.18(25)+0.26(54)+0.15(26)+ 0.14(378)-0.52(37)-0.17(44)
38	$3s^2 3p^3(^2P)3d^2(^3P)$	$^2P^o_{1/2}$	-0.15(71)-0.29(145)-0.30(434)+0.21(415)-0.44(126)-0.10(196)+0.19(51)+0.14(131) -0.18(15)-0.29(95)+0.22(118)+0.47(38)+0.30(368)
39	$3s^2 3p^4(^1D)3d$	$^2F_{5/2}$	0.22(30)+0.37(3)-0.20(165)+0.11(47)+0.58(13)-0.53(39)+0.37(50)
40	$3s^2 3p^4(^1D)3d$	$^2P_{3/2}$	-0.24(27)-0.15(2)+0.47(12)-0.10(56)+0.40(137)-0.50(45)+0.52(40)
41	$3s^2 3p^4(^1D)3d$	$^2S_{1/2}$	0.43(19)-0.47(4)-0.23(9)-0.51(58)+0.52(41)
42	$3s^2 3p^4(^3P)3d$	$^4F_{7/2}$	0.62(42)+0.66(7)-0.30(5)-0.26(52)
43	$3s^2 3p^3(^2P)3d^2(^3F)$	$^4G^o_{11/2}$	0.42(140)-0.29(410)-0.25(101)+0.26(105)+0.33(28)+0.13(161)+0.53(43)-0.44(353)
44	$3s^2 3p^3(^2P)3d^2(^1D)$	$^2D^o_{5/2}$	0.15(93)+0.15(478)-0.19(98)+0.20(33)-0.19(110)-0.29(16)+0.13(84)+0.19(177) -0.12(416)-0.20(89)+0.12(134)-0.11(104)-0.14(147)-0.27(154)-0.12(158)+0.20(351)- 0.10(25)-0.21(54)+0.31(359)+0.21(378)-0.25(37)-0.18(171)+0.35(44)
45	$3s^2 3p^4(^1D)3d$	$^2D_{3/2}$	-0.15(27)-0.36(2)-0.45(12)+0.21(56)+0.54(137)-0.33(45)-0.45(40)
46	$3s^2 3p^3(^2P)3d^2(^1D)$	$^2F^o_{7/2}$	-0.20(160)+0.32(352)-0.17(32)+0.28(144)-0.13(53)-0.12(453)-0.20(99)+0.17(124)+ 0.13(130)+0.11(149)-0.30(289)-0.12(180)-0.13(108)+0.19(170)+0.19(360)+0.39(29)+ 0.18(374)-0.14(139)+0.41(46)
47	$3s^2 3p^4(^3P)3d$	$^2F_{5/2}$	-0.21(30)+0.38(3)+0.47(165)+0.66(47)-0.16(13)+0.17(39)+0.31(50)
48	$3s^2 3p^4(^1D)3d$	$^2G_{9/2}$	0.56(8)-0.82(48)
49	$3s^2 3p^3(^2P)3d^2(^3F)$	$^4F^o_{9/2}$	-0.32(92)+0.30(116)+0.21(35)-0.18(20)-0.34(102)-0.21(423)+0.12(73)+0.20(176)+ 0.18(133)+0.50(49)+0.37(168)+0.15(127)-0.23(381)
50	$3s^2 3p^4(^1D)3d$	$^2D_{5/2}$	-0.15(30)+0.52(165)+0.11(47)+0.35(13)-0.36(39)-0.65(50)

Table B. Comparison of excitation energies (in Ryd) for the lowest 50 levels of W LVIII.

Index	Configuration	Level	GRASP	FAC1	FAC2	FAC3
1	$3s^23p^5$	$^2P^o_{3/2}$	0.0000	0.0000	0.0000	0.0000
2	$3s^23p^4(^3P)3d$	$^4D_{3/2}$	17.4003	17.2992	17.2906	17.3139
3	$3s^23p^4(^3P)3d$	$^4D_{5/2}$	17.8570	17.7552	17.7459	17.7689
4	$3s^23p^4(^3P)3d$	$^4P_{1/2}$	17.9195	17.8172	17.8071	17.8298
5	$3s^23p^4(^3P)3d$	$^2F_{7/2}$	18.1268	18.0239	18.0138	18.0365
6	$3s^23p^4(^1S)3d$	$^2D_{3/2}$	19.5583	19.4600	19.4516	19.4739
7	$3s^23p^4(^3P)3d$	$^4D_{7/2}$	23.3137	23.2209	23.2113	23.2348
8	$3s^23p^4(^3P)3d$	$^4F_{9/2}$	23.4798	23.3872	23.3781	23.4016
9	$3s^23p^4(^3P)3d$	$^2P_{1/2}$	23.9746	23.8802	23.8693	23.8917
10	$3s^23p^5$	$^2P^o_{1/2}$	25.5358	25.5597	25.5589	25.5590
11	$3s^23p^4(^1S)3d$	$^2D_{5/2}$	25.6223	25.5309	25.5192	25.5407
12	$3s^23p^4(^3P)3d$	$^4P_{3/2}$	26.1043	26.0095	25.9940	26.0153
13	$3s^23p^4(^3P)3d$	$^2D_{5/2}$	26.4164	26.3209	26.3099	26.3320
14	$3s^23p^3(^2D)3d^2(^3F)$	$^2D^o_{3/2}$	35.8916	35.6898	35.6963	35.7203
15	$3s^23p^3(^2P)3d^2(^3F)$	$^4D^o_{1/2}$	36.3640	36.1609	36.1671	36.1918
16	$3s^23p^3(^4S)3d^2(^1D)$	$^4D^o_{5/2}$	36.3425	36.1396	36.1459	36.1709
17	$3s^23p^3(^2D)3d^2(^3F)$	$^4H^o_{7/2}$	36.4889	36.2847	36.2907	36.3151
18	$3s^23p^3(^2D)3d^2(^3P)$	$^4F^o_{3/2}$	38.1564	37.9439	37.9506	37.9659
19	$3s^23p^6$	$^2S_{1/2}$	39.8703	39.7896	39.7914	39.8009
20	$3s^23p^3(^2D)3d^2(^3F)$	$^4H^o_{9/2}$	41.6184	41.4287	41.4343	41.4602
21	$3s^23p^3(^2P)3d^2(^3F)$	$^4F^o_{7/2}$	41.9172	41.7274	41.7330	41.7572
22	$3s^23p^4(^3P)3d$	$^4D_{1/2}$	42.0830	42.0099	42.0042	42.0280
23	$3s^23p^3(^2P)3d^2(^3F)$	$^4D^o_{3/2}$	42.5731	42.3810	42.3864	42.4106
24	$3s^23p^3(^2P)3d^2(^3P)$	$^2S^o_{1/2}$	42.5963	42.4049	42.4108	42.4321
25	$3s^23p^3(^2P)3d^2(^3F)$	$^2F^o_{5/2}$	42.6822	42.4888	42.4938	42.5189
26	$3s^23p^3(^2P)3d^2(^3P)$	$^4D^o_{5/2}$	42.7646	42.5717	42.5780	42.5991
27	$3s^23p^4(^3P)3d$	$^4F_{3/2}$	42.8703	42.7967	42.7886	42.8123
28	$3s^23p^3(^2D)3d^2(^1G)$	$^2I^o_{11/2}$	42.8909	42.6992	42.7046	42.7295
29	$3s^23p^3(^2P)3d^2(^3P)$	$^4D^o_{7/2}$	43.1573	42.9633	42.9684	42.9918
30	$3s^23p^4(^3P)3d$	$^4F_{5/2}$	43.4667	43.3925	43.3830	43.4062
31	$3s^23p^4(^1D)3d$	$^2G_{7/2}$	43.5688	43.4938	43.4847	43.5082
32	$3s^23p^3(^4S)3d^2(^1G)$	$^4G^o_{7/2}$	44.0459	43.8484	43.8511	43.8763
33	$3s^23p^3(^4S)3d^2(^3P)$	$^4P^o_{5/2}$	44.1611	43.9626	43.9669	43.9890
34	$3s^23p^3(^2P)3d^2(^1D)$	$^2P^o_{3/2}$	44.3757	44.1760	44.1804	44.2022
35	$3s^23p^3(^4S)3d^2(^1G)$	$^4G^o_{9/2}$	44.6977	44.4984	44.5000	44.5246
36	$3s^23p^3(^2P)3d^2(^3P)$	$^2D^o_{3/2}$	45.0197	44.8173	44.8217	44.8434
37	$3s^23p^3(^2P)3d^2(^1G)$	$^2F^o_{5/2}$	45.5541	45.3527	45.3560	45.3801
38	$3s^23p^3(^2P)3d^2(^3P)$	$^2P^o_{1/2}$	45.7114	45.5099	45.5148	45.5356
39	$3s^23p^4(^1D)3d$	$^2F_{5/2}$	45.9153	45.8408	45.8279	45.8495
40	$3s^23p^4(^1D)3d$	$^2P_{3/2}$	46.0974	46.0249	46.0094	46.0309
41	$3s^23p^4(^1D)3d$	$^2S_{1/2}$	46.6321	46.5486	46.5400	46.5585
42	$3s^23p^4(^3P)3d$	$^4F_{7/2}$	48.3089	48.2449	48.2368	48.2609
43	$3s^23p^3(^2P)3d^2(^3F)$	$^4G^o_{11/2}$	48.5175	48.3351	48.3385	48.3638
44	$3s^23p^3(^2P)3d^2(^1D)$	$^2D^o_{5/2}$	48.8295	48.6486	48.6529	48.6753
45	$3s^23p^4(^1D)3d$	$^2D_{3/2}$	49.0045	48.9379	48.9261	48.9492
46	$3s^23p^3(^2P)3d^2(^1D)$	$^2F^o_{7/2}$	49.1876	49.0051	49.0093	49.1963
47	$3s^23p^4(^3P)3d$	$^2F_{5/2}$	49.3072	49.2416	49.2297	49.2328
48	$3s^23p^4(^1D)3d$	$^2G_{9/2}$	49.2839	49.2187	49.2091	49.0314
49	$3s^23p^3(^2P)3d^2(^3F)$	$^4F^o_{9/2}$	49.3527	49.1681	49.1706	49.2523
50	$3s^23p^4(^1D)3d$	$^2D_{5/2}$	49.8203	49.7519	49.7384	49.7608

GRASP: present calculations from the GRASP code with 4978 levels
FAC1: present calculations from the FAC code with 5821 levels
FAC2: present calculations from the FAC code with 9160 levels
FAC3: present calculations from the FAC code with 18,459 levels

Table C. Comparison of oscillator strengths (f- values) for some transitions of W LVIII. See Table 2 for level indices. $a\pm b \equiv a\times 10^{\pm b}$.

I	J	GRASP	FAC1	FAC2	Ratio	I	J	GRASP	FAC1	FAC2	Ratio
1	2	1.0882-3	1.081-3	1.077-3	1.0-0	3	18	2.6720-3	2.639-3	2.636-3	9.7-1
1	3	2.4344-3	2.430-3	2.430-3	1.1-0	3	21	2.3411-5	2.132-5	2.138-5	8.7-1
1	4	3.8991-3	3.868-3	3.859-3	1.1-0	3	23	4.3433-3	4.284-3	4.277-3	1.0-0
1	6	5.9768-4	5.986-4	6.004-4	1.1-0	3	25	3.6256-3	3.617-3	3.611-3	9.8-1
1	9	9.0692-3	8.975-3	8.963-3	1.1-0	3	26	4.2007-4	3.789-4	3.689-4	1.0-0
1	11	4.4697-5	6.737-5	9.514-5	1.1-0	3	29	5.2679-4	5.322-4	5.282-4	1.1-0
1	12	9.3168-2	9.295-2	9.274-2	1.0-0	3	32	1.2444-1	1.242-1	1.238-1	1.1-0
1	13	1.8842-1	1.880-1	1.876-1	1.1-0	3	33	4.4983-2	4.489-2	4.471-2	1.0-0
1	19	4.8822-2	5.232-2	5.211-2	9.9-1	3	34	7.6192-5	7.642-5	7.771-5	1.4-0
1	22	2.5003-3	2.304-3	2.302-3	9.8-1	3	36	8.5831-3	8.615-3	8.565-3	9.4-1
1	27	2.1816-5	2.009-5	2.024-5	1.0-0	3	37	2.1401-4	2.079-4	2.058-4	1.1-0
1	30	1.1023-2	1.090-2	1.085-2	1.1-0	3	44	2.6467-5	2.670-5	2.632-5	8.4-1
1	39	2.8342-1	2.832-1	2.826-1	1.1-0	3	46	5.6125-4	5.520-4	5.487-4	1.0-0
1	40	1.8851-1	1.884-1	1.880-1	1.0-0	4	10	1.2802-4	1.337-4	1.335-4	1.3-0
1	41	1.9575-1	1.920-1	1.919-1	1.0-0	4	14	3.5475-3	3.523-3	3.520-3	1.0-0
1	45	5.2287-4	5.113-4	5.087-4	1.1-0	4	15	1.0169-2	1.007-2	1.006-2	1.0-0
1	47	3.1041-6	3.707-6	3.526-6	1.1-0	4	18	8.3105-4	8.490-4	8.475-4	1.0-0
1	50	2.1506-4	2.176-4	2.148-4	1.0-0	4	23	1.4887-2	1.488-2	1.489-2	1.1-0
2	10	1.5585-5	1.633-5	1.625-5	1.3-0	4	24	1.5940-2	1.587-2	1.584-2	1.0-0
2	14	2.3239-3	2.317-3	2.313-3	9.6-1	4	34	9.2343-2	9.225-2	9.199-2	1.0-0
2	15	1.1027-3	1.085-3	1.083-3	1.0-0	4	36	6.2968-2	6.287-2	6.244-2	1.0-0
2	16	3.6626-4	3.652-4	3.630-4	1.0-0	4	38	3.3164-3	3.390-3	3.361-3	9.3-1
2	18	9.5118-5	9.609-5	9.746-5	1.1-0	5	16	4.6102-3	4.580-3	4.558-3	8.8-1
2	23	1.8987-2	1.889-2	1.882-2	1.0-0	5	17	6.2113-4	6.121-4	6.125-4	1.0-0
2	24	6.9418-3	6.891-3	6.883-3	1.0-0	5	20	6.3760-5	6.604-5	6.564-5	1.0-0
2	25	5.0532-2	5.065-2	5.067-2	1.1-0	5	21	6.4773-3	6.474-3	6.469-3	1.0-0
2	26	2.6290-3	2.336-3	2.251-3	1.0-0	5	25	4.5108-3	4.516-3	4.491-3	9.4-1
2	33	6.1696-2	6.168-2	6.140-2	1.0-0	5	26	3.3682-5	2.362-5	2.123-5	1.2-0
2	34	3.7762-2	3.774-2	3.754-2	1.0-0	5	29	2.6977-2	2.684-2	2.680-2	1.0-0
2	36	1.1263-3	1.113-3	1.110-3	1.0-0	5	32	2.1229-3	2.145-3	2.134-3	1.1-0
2	37	5.0808-3	5.130-3	5.145-3	1.0-0	5	33	2.9199-3	2.880-3	2.853-3	8.7-1
2	38	1.6200-5	2.086-5	2.258-5	6.9-1	5	35	1.4637-1	1.461-1	1.457-1	1.1-0
2	44	1.1047-4	1.066-4	1.063-4	1.1-0	5	37	7.7067-3	7.776-3	7.709-3	8.8-1
3	14	1.2620-3	1.260-3	1.251-3	8.8-1	5	44	7.4564-5	7.122-5	7.361-5	1.7-0
3	16	1.6292-4	1.670-4	1.644-4	7.4-1	5	46	3.7162-5	3.540-5	3.698-5	1.6-0
3	17	3.4001-3	3.409-3	3.404-3	1.1-0	5	49	2.1782-3	2.129-3	2.112-3	1.1-0

GRASP: present calculations from the GRASP code with 4978 levels
FAC1: present calculations from the FAC code with 5821 levels
FAC2: present calculations from the FAC code with 9160 levels
Ratio: ratio of velocity and length forms of f- values from the GRASP code

Explanation of Tables

Table 1. Configurations and levels of W LVIII.

Index	Configuration Index
Configuration	The configuration included in the calculation
No. of Levels	The number of levels the configuration generates. Odd parity levels are designated with a superscript "o"
Energy Range	Energy range of the levels in Ryd unit
GRASP1	Calculations of Mohan et al. [8] from the GRASP code with 1163 levels
GRASP2	Present calculations from the GRASP code with 4978 levels
Y	If a configuration is included under a calculation

Table 2. Energies (Ryd) for the lowest 400 levels of W LVIII and their lifetimes (τ, s).

Index	Level Index
Configuration	The configuration to which the level belongs
Level	The LSJ designation of the level
Energy	Present energies from the GRASP code with 4978 level calculations
τ (s)	Lifetime of the level in s

Table 3. Transition wavelengths (λ_{ij} in Å), radiative rates (A_{ji} in s^{-1}), oscillator strengths (f_{ij}, dimensionless), and line strengths (S, in atomic units) for electric dipole (E1), and A_{ji} for electric quadrupole (E2), magnetic dipole (M1), and magnetic quadrupole (M2) transitions of W LVIII.

i and j	The lower (i) and upper (j) levels of a transition as defined in Table 2.
λ_{ij}	Transition wavelength (in Å)
A_{ji}^{E1}	Radiative transition probability (in s^{-1}) for the E1 transitions
f_{ij}^{E1}	Absorption oscillator strength (dimensionless) for the E1 transitions
S^{E1}	Line strength in atomic unit (a.u.), 1 a.u. = 6.460×10^{-36} cm^2 esu^2 for the E1 transitions
A_{ji}^{E2}	Radiative transition probability (in s^{-1}) for the E2 transitions
A_{ji}^{M1}	Radiative transition probability (in s^{-1}) for the M1 transitions
A_{ji}^{M2}	Radiative transition probability (in s^{-1}) for the M2 transitions
$a\pm b$	$\equiv a \times 10^{\pm b}$

Table 1. Configurations/Levels of W LVIII and their energy ranges (Ryd).

Index	Configuration	No. of Levels	Energy Range	GRASP1	GRASP2
i) even					
1	$3s^2 3p^4 3d$	28	17-75	Y	Y
2	$3s3p^6$	1	40	Y	Y
3	$3s^2 3p^2 3d^3$	261	55-130	Y	Y
4	$3s3p^4 3d^2$	211	73-143	Y	Y
5	$3p^6 3d$	2	100-106	Y	Y
6	$3s3p^2 3d^4$	858	113-196		Y
7	$3s^2 3p^4 4s$	8	182-209	Y	Y
8	$3s^2 3p^4 4d$	28	205-261	Y	Y
9	$3s^2 3p^3 3d4p$	203	205-278		Y
10	$3s^2 3p^3 3d4f$	363	231-295		Y
11	$3s3p^5 4p$	18	227-265		Y
12	$3s3p^5 4f$	24	253-283		Y
13	$3s^2 3p^4 5s$	8	276-329		Y
14	$3s^2 3p^4 5d$	28	288-342		Y
15	$3s^2 3p^4 5g$	30	295-348		Y
16	$3p^6 4s$	1	267		Y
17	$3p^6 4d$	2	290-293		Y
18	$3s3p^5 5s$	7	316-345		Y
19	$3s3p^5 5p$	18	320-353		Y
20	$3s3p^5 5f$	24	332-361		Y
21	$3s^2 3d^5$	37	157-179		Y
22	$3p^2 3d^5$	513	180-258		Y
23	$3s3d^6$	63	219-244		Y
24	$3d^7$	19	285-303		Y
ii) odd					
25	$3s^2 3p^5$	2^o	0-26	Y	Y
26	$3s^2 3p^3 3d^2$	141^o	35-103	Y	Y
27	$3s3p^5 3d$	23^o	55-91	Y	Y
28	$3s3p^3 3d^3$	678^o	92-169		Y
29	$3s^2 3p3d^4$	180^o	102-155		Y
30	$3p^5 3d^2$	45^o	116-157	Y	Y
31	$3s^2 3p^4 4p$	21^o	188-251	Y	Y
32	$3s^2 3p^4 4f$	30^o	214-268	Y	Y
33	$3s^2 3p^3 3d4s$	72^o	199-262		Y
34	$3s^2 3p^3 3d4d$	302^o	222-288		Y
35	$3s3p^5 4s$	7^o	221-250		Y
36	$3s3p^5 4d$	23^o	244-275		Y
37	$3s^2 3p^4 5p$	21^o	279-337		Y
38	$3s^2 3p^4 5f$	30^o	292-346		Y
39	$3p^6 4p$	2^o	271-283		Y
40	$3p^6 4f$	2^o	298-300		Y
41	$3s3p^5 5d$	23^o	328-358		Y
42	$3s3p^5 5g$	24^o	334-363		Y
43	$3s3p3d^5$	417^o	165-220		Y
44	$3p3d^6$	180^o	232-282		Y
45	$3s^2 3p^3 4d^2$	141^o	413-472	Y	
46	$3s^2 3p^3 4f^2$	221^o	430-487	Y	

GRASP1: earlier calculations of Mohan et al. [8] from the GRASP code with 1163 levels
GRASP2: present calculations from the GRASP code with 4978 levels
Y: configuration included under a calculation

Table 2. Energies (Ryd) for the lowest 400 levels of W LVIII and their lifetimes (τ, s). $a\pm b \equiv a\times 10^{\pm b}$.

Index	Configuration	Level	Energy	τ (s)
1	$3s^2 3p^5$	$^2P^o_{3/2}$	0.0000	.....
2	$3s^2 3p^4(^3P)3d$	$^4D_{3/2}$	17.4003	3.778-10
3	$3s^2 3p^4(^3P)3d$	$^4D_{5/2}$	17.8570	2.406-10
4	$3s^2 3p^4(^3P)3d$	$^4P_{1/2}$	17.9195	4.972-11
5	$3s^2 3p^4(^3P)3d$	$^2F_{7/2}$	18.1268	4.557-03
6	$3s^2 3p^4(^1S)3d$	$^2D_{3/2}$	19.5583	5.445-10
7	$3s^2 3p^4(^3P)3d$	$^4D_{7/2}$	23.3137	4.054-07
8	$3s^2 3p^4(^3P)3d$	$^4F_{9/2}$	23.4798	4.415-07
9	$3s^2 3p^4(^3P)3d$	$^2P_{1/2}$	23.9746	1.194-11
10	$3s^2 3p^5$	$^2P^o_{1/2}$	25.5358	2.125-09
11	$3s^2 3p^4(^1S)3d$	$^2D_{5/2}$	25.6223	6.218-09
12	$3s^2 3p^4(^3P)3d$	$^4P_{3/2}$	26.1043	1.961-12
13	$3s^2 3p^4(^3P)3d$	$^2D_{5/2}$	26.4164	1.420-12
14	$3s^2 3p^3(^2D)3d^2(^3F)$	$^2D^o_{3/2}$	35.8916	5.728-11
15	$3s^2 3p^3(^2P)3d^2(^3F)$	$^4D^o_{1/2}$	36.3640	2.518-11
16	$3s^2 3p^3(^4S)3d^2(^1D)$	$^4D^o_{5/2}$	36.3425	4.794-11
17	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4H^o_{7/2}$	36.4889	1.112-10
18	$3s^2 3p^3(^2D)3d^2(^3P)$	$^4F^o_{3/2}$	38.1564	5.239-11
19	$3s^2 3p^6$	$^2S_{1/2}$	39.8703	7.818-13
20	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4H^o_{9/2}$	41.6184	8.376-11
21	$3s^2 3p^3(^2P)3d^2(^3F)$	$^4F^o_{7/2}$	41.9172	2.265-11
22	$3s^2 3p^4(^3P)3d$	$^4D_{1/2}$	42.0830	1.285-11
23	$3s^2 3p^3(^2P)3d^2(^3F)$	$^4D^o_{3/2}$	42.5731	5.435-12
24	$3s^2 3p^3(^2P)3d^2(^3P)$	$^2S^o_{1/2}$	42.5963	6.388-12
25	$3s^2 3p^3(^2P)3d^2(^3F)$	$^2F^o_{5/2}$	42.6822	4.354-12
26	$3s^2 3p^3(^2P)3d^2(^3P)$	$^4D^o_{5/2}$	42.7646	5.013-11
27	$3s^2 3p^4(^3P)3d$	$^4F_{3/2}$	42.8703	2.429-10
28	$3s^2 3p^3(^2D)3d^2(^1G)$	$^2I^o_{11/2}$	42.8909	4.008-10
29	$3s^2 3p^3(^2P)3d^2(^3P)$	$^4D^o_{7/2}$	43.1573	6.781-12
30	$3s^2 3p^4(^3P)3d$	$^4F_{5/2}$	43.4667	8.939-12
31	$3s^2 3p^4(^1D)3d$	$^2G_{7/2}$	43.5688	4.656-09
32	$3s^2 3p^3(^4S)3d^2(^1G)$	$^4G^o_{7/2}$	44.0459	1.813-12
33	$3s^2 3p^3(^4S)3d^2(^3P)$	$^4P^o_{5/2}$	44.1611	1.915-12
34	$3s^2 3p^3(^2P)3d^2(^1D)$	$^2P^o_{3/2}$	44.3757	1.920-12
35	$3s^2 3p^3(^4S)3d^2(^1G)$	$^4G^o_{9/2}$	44.6977	1.488-12
36	$3s^2 3p^3(^2P)3d^2(^3P)$	$^2D^o_{3/2}$	45.0197	2.115-12
37	$3s^2 3p^3(^2P)3d^2(^1G)$	$^2F^o_{5/2}$	45.5541	2.128-12
38	$3s^2 3p^3(^2P)3d^2(^3P)$	$^2P^o_{1/2}$	45.7114	2.270-12
39	$3s^2 3p^4(^1D)3d$	$^2F_{5/2}$	45.9153	3.125-13
40	$3s^2 3p^4(^1D)3d$	$^2P_{3/2}$	46.0974	3.107-13
41	$3s^2 3p^4(^1D)3d$	$^2S_{1/2}$	46.6321	1.462-13
42	$3s^2 3p^4(^3P)3d$	$^4F_{7/2}$	48.3089	2.435-09
43	$3s^2 3p^3(^2P)3d^2(^3F)$	$^4G^o_{11/2}$	48.5175	4.857-12
44	$3s^2 3p^3(^2P)3d^2(^1D)$	$^2D^o_{5/2}$	48.8295	4.326-12
45	$3s^2 3p^4(^1D)3d$	$^2D_{3/2}$	49.0045	7.629-11
46	$3s^2 3p^3(^2P)3d^2(^1D)$	$^2F^o_{7/2}$	49.1876	4.362-12
47	$3s^2 3p^4(^3P)3d$	$^2F_{5/2}$	49.3072	2.253-09
48	$3s^2 3p^4(^1D)3d$	$^2G_{9/2}$	49.2839	4.124-09
49	$3s^2 3p^3(^2P)3d^2(^3F)$	$^4F^o_{9/2}$	49.3527	1.798-12
50	$3s^2 3p^4(^1D)3d$	$^2D_{5/2}$	49.8203	3.170-10

Index	Configuration	Level	Energy	τ (s)
51	$3s^2 3p^3(^2D)3d^2(^1D)$	$^2P^o_{1/2}$	50.2590	1.476-12
52	$3s^2 3p^4(^1D)3d$	$^2F_{7/2}$	50.4435	3.433-09
53	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4F^o_{7/2}$	51.4400	1.056-12
54	$3s^2 3p^3(^2P)3d^2(^3F)$	$^2D^o_{5/2}$	51.6981	1.569-12
55	$3s^2 3p^3(^2P)3d^2(^1S)$	$^2P^o_{3/2}$	51.7675	2.541-12
56	$3s^2 3p^4(^3P)3d$	$^2D_{3/2}$	52.1902	1.185-12
57	$3s^2 3p^3(^2D)3d^2(^1S)$	$^2D^o_{3/2}$	52.6962	8.744-13
58	$3s^2 3p^4(^1D)3d$	$^2P_{1/2}$	52.9094	7.479-13
59	$3s^2 3p^2(^3P)3d^3(^4F)$	$^6G_{3/2}$	55.5754	1.720-11
60	$3s3p^5(^3P)3d$	$^4P^o_{1/2}$	55.8514	1.391-12
61	$3s3p^5(^3P)3d$	$^4P^o_{3/2}$	57.0155	9.255-13
62	$3s3p^5(^3P)3d$	$^4F^o_{7/2}$	57.5831	8.839-13
63	$3s3p^5(^3P)3d$	$^4D^o_{5/2}$	57.7327	7.185-13
64	$3s3p^5(^1P)3d$	$^2P^o_{1/2}$	58.6678	1.435-12
65	$3s3p^5(^1P)3d$	$^2D^o_{3/2}$	59.1912	9.267-13
66	$3s3p^5(^1P)3d$	$^2F^o_{5/2}$	59.3912	5.106-13
67	$3s^2 3p^3(^4S)3d^2(^3F)$	$^6F^o_{3/2}$	61.1663	4.176-13
68	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4G^o_{5/2}$	61.1596	7.316-13
69	$3s^2 3p^2(^1S)3d^3(^4F)$	$^4F_{5/2}$	61.4965	3.297-12
70	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4G^o_{7/2}$	61.4451	8.639-13
71	$3s^2 3p^3(^4S)3d^2(^3F)$	$^6F^o_{1/2}$	61.6191	2.350-13
72	$3s^2 3p^2(^3P)3d^3(^4P)$	$^4P_{3/2}$	62.0028	2.940-12
73	$3s^2 3p^3(^2D)3d^2(^3F)$	$^2H^o_{9/2}$	61.9665	1.418-12
74	$3s^2 3p^2(^3P)3d^3(^4P)$	$^6D_{1/2}$	62.4505	2.751-12
75	$3s3p^5(^3P)3d$	$^4F^o_{9/2}$	62.3153	1.098-12
76	$3s^2 3p^2(^1S)3d^3(^2G)$	$^2G_{7/2}$	62.4418	2.636-12
77	$3s^2 3p^2(^1S)3d^3(^2H)$	$^2H_{9/2}$	62.4810	2.571-12
78	$3s^2 3p^3(^2P)3d^2(^3F)$	$^4G^o_{5/2}$	62.9131	7.088-13
79	$3s3p^5(^3P)3d$	$^2D^o_{5/2}$	63.4168	9.070-13
80	$3s3p^5(^3P)3d$	$^4D^o_{7/2}$	63.7132	1.027-12
81	$3s^2 3p^3(^4S)3d^2(^3P)$	$^6P^o_{3/2}$	63.9485	3.226-13
82	$3s3p^5(^3P)3d$	$^2D^o_{3/2}$	64.1307	8.919-13
83	$3s^2 3p^2(^1S)3d^3(^4P)$	$^4P_{5/2}$	64.3829	2.346-12
84	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4D^o_{5/2}$	64.6824	2.640-13
85	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4P^o_{1/2}$	64.7631	1.475-13
86	$3s3p^5(^1P)3d$	$^2F^o_{7/2}$	64.6156	6.782-13
87	$3s^2 3p^3(^4S)3d^2(^3F)$	$^2F^o_{7/2}$	64.9190	1.959-13
88	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4D^o_{3/2}$	65.0036	1.686-13
89	$3s^2 3p^3(^2D)3d^2(^3P)$	$^4D^o_{5/2}$	65.4537	1.630-13
90	$3s3p^5(^1P)3d$	$^2D^o_{5/2}$	65.4868	1.020-12
91	$3s^2 3p^3(^2D)3d^2(^3P)$	$^4P^o_{3/2}$	66.0330	1.072-12
92	$3s^2 3p^3(^4S)3d^2(^3F)$	$^6F^o_{9/2}$	65.9842	1.149-11
93	$3s^2 3p^3(^4S)3d^2(^3F)$	$^6F^o_{5/2}$	66.0845	1.914-12
94	$3s^2 3p^3(^4S)3d^2(^3F)$	$^6F^o_{7/2}$	66.1054	1.523-12
95	$3s^2 3p^3(^2P)3d^2(^3P)$	$^4D^o_{1/2}$	66.3727	2.867-13
96	$3s3p^5(^3P)3d$	$^2P^o_{1/2}$	66.3721	6.019-13
97	$3s^2 3p^3(^2P)3d^2(^1D)$	$^2D^o_{3/2}$	66.6202	2.203-13
98	$3s^2 3p^3(^4S)3d^2(^3P)$	$^6P^o_{5/2}$	66.5937	2.233-12
99	$3s^2 3p^3(^2D)3d^2(^3P)$	$^4F^o_{7/2}$	66.5674	8.389-12
100	$3s3p^5(^1P)3d$	$^2P^o_{3/2}$	66.7088	3.187-13

Index	Configuration	Level	Energy	τ (s)
101	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4H^o_{11/2}$	66.6766	1.886-10
102	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4G^o_{9/2}$	66.7611	5.194-12
103	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4F^o_{3/2}$	67.4468	1.103-12
104	$3s^2 3p^3(^2D)3d^2(^1G)$	$^2F^o_{5/2}$	67.4624	3.185-12
105	$3s^2 3p^3(^2D)3d^2(^3F)$	$^2H^o_{11/2}$	67.4485	2.098-11
106	$3s^2 3p^2(^1S)3d^3(^4F)$	$^4F_{7/2}$	68.1596	1.822-12
107	$3s^2 3p^3(^2D)3d^2(^1G)$	$^2I^o_{13/2}$	67.9341	1.543-08
108	$3s^2 3p^3(^2P)3d^2(^3F)$	$^4G^o_{7/2}$	68.4592	3.331-12
109	$3s^2 3p^2(^1S)3d^3(^4F)$	$^4F_{9/2}$	68.6052	1.725-12
110	$3s^2 3p^3(^4S)3d^2(^1G)$	$^4G^o_{5/2}$	68.7813	2.893-12
111	$3s^2 3p^3(^4S)3d^2(^3F)$	$^4F^o_{3/2}$	68.9212	9.926-13
112	$3s^2 3p^2(^3P)3d^3(^4P)$	$^6D_{3/2}$	68.9883	1.532-12
113	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4D^o_{1/2}$	69.1073	1.131-12
114	$3s^2 3p^2(^3P)3d^3(^2P)$	$^4D_{1/2}$	69.2385	1.537-12
115	$3s^2 3p^2(^1S)3d^3(^2D)$	$^2D_{5/2}$	69.2779	1.726-12
116	$3s^2 3p^3(^4S)3d^2(^3F)$	$^4F^o_{9/2}$	69.1834	4.145-13
117	$3s^2 3p^3(^2P)3d^2(^3P)$	$^4D^o_{3/2}$	69.3086	1.890-12
118	$3s^2 3p^3(^2P)3d^2(^3P)$	$^4P^o_{1/2}$	69.4290	4.392-12
119	$3s^2 3p^3(^2D)3d^2(^3P)$	$^4F^o_{9/2}$	69.3467	3.638-13
120	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4G^o_{11/2}$	69.3340	4.069-13
121	$3s^2 3p^3(^4S)3d^2(^3F)$	$^4F^o_{5/2}$	69.4300	1.230-12
122	$3s^2 3p^3(^2D)3d^2(^3F)$	$^2G^o_{7/2}$	69.4745	3.162-13
123	$3s^2 3p^2(^1S)3d^3(^2H)$	$^2H_{11/2}$	69.4760	1.629-12
124	$3s^2 3p^3(^2D)3d^2(^3P)$	$^2F^o_{7/2}$	69.9970	5.615-13
125	$3s^2 3p^2(^3P)3d^3(^4D)$	$^4D_{5/2}$	70.1625	1.349-12
126	$3s^2 3p^3(^2D)3d^2(^3P)$	$^4D^o_{1/2}$	70.1824	2.994-13
127	$3s^2 3p^3(^2P)3d^2(^1G)$	$^2H^o_{9/2}$	70.1076	5.457-13
128	$3s^2 3p^2(^1S)3d^3(^2F)$	$^2F_{7/2}$	70.2066	1.404-12
129	$3s^2 3p^3(^2D)3d^2(^3P)$	$^4P^o_{5/2}$	70.2664	2.087-13
130	$3s^2 3p^3(^2D)3d^2(^1G)$	$^2G^o_{7/2}$	70.2150	1.128-12
131	$3s^2 3p^3(^2D)3d^2(^1D)$	$^2S^o_{1/2}$	70.4846	5.628-13
132	$3s^2 3p^3(^2D)3d^2(^1G)$	$^2D^o_{3/2}$	70.4948	2.701-13
133	$3s^2 3p^3(^2D)3d^2(^1G)$	$^2H^o_{9/2}$	70.4224	1.081-12
134	$3s^2 3p^3(^2D)3d^2(^3P)$	$^2D^o_{5/2}$	70.6951	4.883-13
135	$3s^2 3p^3(^2D)3d^2(^3P)$	$^4D^o_{7/2}$	70.7248	1.765-13
136	$3s^2 3p^3(^2D)3d^2(^3P)$	$^2D^o_{3/2}$	70.8566	7.745-13
137	$3s^2 3p^4(^3P)3d$	$^2P_{3/2}$	70.9967	4.055-13
138	$3s^2 3p^2(^3P)3d^3(^2D)$	$^4F_{3/2}$	71.8306	1.275-12
139	$3s^2 3p^3(^2P)3d^2(^1G)$	$^2F^o_{7/2}$	71.7432	3.226-13
140	$3s^2 3p^3(^4S)3d^2(^3F)$	$^6F^o_{11/2}$	71.6379	6.867-12
141	$3s^2 3p^3(^2D)3d^2(^3F)$	$^2F^o_{5/2}$	71.8627	2.078-13
142	$3s^2 3p^3(^2P)3d^2(^3P)$	$^2P^o_{3/2}$	72.2970	3.163-13
143	$3s^2 3p^3(^2D)3d^2(^3P)$	$^2F^o_{5/2}$	72.4164	2.555-13
144	$3s^2 3p^3(^4S)3d^2(^1D)$	$^4D^o_{7/2}$	72.3006	3.404-12
145	$3s^2 3p^3(^4S)3d^2(^3P)$	$^4P^o_{1/2}$	72.5510	1.938-13
146	$3s^2 3p^3(^2D)3d^2(^1D)$	$^2P^o_{3/2}$	72.6106	2.605-13
147	$3s^2 3p^3(^2D)3d^2(^1G)$	$^2D^o_{5/2}$	73.1063	2.526-13
148	$3s3p^4(^4P)3d^2(^3F)$	$^6D_{1/2}$	73.3382	2.931-12
149	$3s^2 3p^3(^2D)3d^2(^1G)$	$^2F^o_{7/2}$	73.0947	2.130-13
150	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4H^o_{13/2}$	72.9313	1.353-08

Index	Configuration	Level	Energy	τ (s)
151	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4P^o_{3/2}$	73.2832	3.040-13
152	$3s^2 3p^3(^2D)3d^2(^1D)$	$^2G^o_{9/2}$	73.1988	9.664-12
153	$3s^2 3p^3(^2D)3d^2(^3P)$	$^2P^o_{3/2}$	73.5774	1.803-13
154	$3s^2 3p^3(^2D)3d^2(^1D)$	$^2F^o_{5/2}$	73.5310	9.704-13
155	$3s3p^4(^4P)3d^2(^3F)$	$^6D_{3/2}$	73.9922	2.100-12
156	$3s^2 3p^3(^2D)3d^2(^1G)$	$^2G^o_{9/2}$	73.8308	2.368-12
157	$3s3p^4(^4P)3d^2(^3F)$	$^6F_{5/2}$	74.3251	1.753-12
158	$3s^2 3p^3(^2D)3d^2(^1D)$	$^2D^o_{5/2}$	74.2360	2.203-12
159	$3s3p^4(^4P)3d^2(^3F)$	$^6G_{7/2}$	74.5315	1.711-12
160	$3s^2 3p^3(^4S)3d^2(^3F)$	$^4F^o_{7/2}$	74.4814	2.108-12
161	$3s^2 3p^3(^2D)3d^2(^1G)$	$^2H^o_{11/2}$	74.6675	2.772-12
162	$3s3p^4(^4P)3d^2(^3F)$	$^4G_{9/2}$	75.3015	1.245-12
163	$3s^2 3p^3(^2D)3d^2(^3F)$	$^2F^o_{7/2}$	75.2107	2.116-12
164	$3s^2 3p^2(^1S)3d^3(^2G)$	$^2G_{9/2}$	75.2060	1.274-12
165	$3s^2 3p^4(^3P)3d$	$^4P_{5/2}$	75.4003	2.585-10
166	$3s^2 3p^3(^4S)3d^2(^1S)$	$^4S^o_{3/2}$	75.6536	2.179-11
167	$3s3p^4(^4P)3d^2(^3P)$	$^6D_{5/2}$	75.8961	1.947-12
168	$3s^2 3p^3(^2P)3d^2(^3F)$	$^2G^o_{9/2}$	75.6984	4.767-12
169	$3s^2 3p^3(^2D)3d^2(^3P)$	$^4P^o_{1/2}$	75.7997	1.345-12
170	$3s^2 3p^3(^2P)3d^2(^3F)$	$^4D^o_{7/2}$	75.9297	9.129-13
171	$3s^2 3p^3(^2P)3d^2(^1D)$	$^2F^o_{5/2}$	76.1168	7.496-12
172	$3s3p^4(^2P)3d^2(^3F)$	$^4D_{1/2}$	76.5433	1.080-12
173	$3s3p^4(^2S)3d^2(^3F)$	$^4F_{3/2}$	76.5687	8.356-13
174	$3s^2 3p^3(^2D)3d^2(^1D)$	$^2D^o_{3/2}$	76.3475	1.299-12
175	$3s^2 3p^2(^3P)3d^3(^2D)$	$^4F_{3/2}$	76.3879	1.052-12
176	$3s^2 3p^3(^2D)3d^2(^3F)$	$^2G^o_{9/2}$	76.2838	1.079-12
177	$3s^2 3p^3(^2D)3d^2(^3F)$	$^4P^o_{5/2}$	76.5776	1.089-12
178	$3s^2 3p^3(^4S)3d^2(^3P)$	$^4P^o_{3/2}$	76.7613	1.001-12
179	$3s^2 3p^2(^1S)3d^3(^2D)$	$^2D_{5/2}$	77.1955	1.088-12
180	$3s^2 3p^3(^2D)3d^2(^1D)$	$^2F^o_{7/2}$	77.1581	9.848-13
181	$3s3p^4(^2S)3d^2(^3F)$	$^4F_{5/2}$	77.7175	6.632-13
182	$3s^2 3p^3(^2P)3d^2(^1S)$	$^2P^o_{1/2}$	77.5423	2.354-11
183	$3s3p^4(^2P)3d^2(^3F)$	$^4D_{3/2}$	77.8249	4.106-13
184	$3s^2 3p^3(^2D)3d^2(^1S)$	$^2D^o_{5/2}$	77.5965	9.013-13
185	$3s3p^4(^2D)3d^2(^1D)$	$^4G_{5/2}$	77.9424	3.533-13
186	$3s3p^4(^2D)3d^2(^3F)$	$^4H_{7/2}$	77.9449	3.747-13
187	$3s^2 3p^3(^2D)3d^2(^3F)$	$^2D^o_{5/2}$	77.8233	7.743-13
188	$3s^2 3p^3(^2D)3d^2(^3F)$	$^2P^o_{3/2}$	78.4028	5.769-13
189	$3s3p^4(^2S)3d^2(^3P)$	$^4P_{1/2}$	79.4053	5.640-13
190	$3s3p^4(^4P)3d^2(^3F)$	$^6F_{9/2}$	79.3583	2.787-12
191	$3s3p^4(^2P)3d^2(^3P)$	$^4S_{3/2}$	79.6792	3.250-13
192	$3s3p^4(^4P)3d^2(^3F)$	$^6G_{11/2}$	79.6488	2.151-12
193	$3s3p^4(^4P)3d^2(^3P)$	$^6S_{5/2}$	80.0287	1.963-12
194	$3s3p^4(^4P)3d^2(^3F)$	$^6F_{7/2}$	80.0234	1.757-12
195	$3s3p^4(^4P)3d^2(^3P)$	$^6D_{7/2}$	80.0725	2.672-12
196	$3s^2 3p^3(^2D)3d^2(^3P)$	$^2P^o_{1/2}$	80.0267	4.640-13
197	$3s3p^4(^4P)3d^2(^3P)$	$^6D_{9/2}$	80.5630	1.503-12
198	$3s3p^4(^4P)3d^2(^1G)$	$^4H_{13/2}$	80.9324	2.077-12
199	$3s3p^4(^4P)3d^2(^1G)$	$^4G_{11/2}$	81.0116	1.625-12
200	$3s3p^4(^4P)3d^2(^3F)$	$^4D_{1/2}$	81.3924	3.053-13

Index	Configuration	Level	Energy	τ (s)
201	$3s3p^4(^4P)3d^2(^3F)$	$^4F_{3/2}$	81.3905	4.891-13
202	$3s3p^4(^2D)3d^2(^3F)$	$^2D_{3/2}$	81.6634	3.439-13
203	$3s^23p^2(^3P)3d^3(^4F)$	$^6G_{5/2}$	81.6945	3.348-13
204	$3s3p^4(^2D)3d^2(^3F)$	$^2P_{1/2}$	81.8367	2.876-13
205	$3s3p^4(^4P)3d^2(^3F)$	$^4F_{5/2}$	81.9080	1.354-12
206	$3s3p^4(^4P)3d^2(^3F)$	$^4D_{3/2}$	82.0205	9.677-13
207	$3s^23p^2(^1D)3d^3(^2G)$	$^2G_{7/2}$	82.0228	3.176-13
208	$3s3p^4(^2P)3d^2(^3F)$	$^4F_{7/2}$	82.2798	6.179-13
209	$3s3p^4(^4P)3d^2(^1G)$	$^4F_{3/2}$	82.5719	9.902-13
210	$3s3p^4(^4P)3d^2(^1G)$	$^4F_{5/2}$	82.6114	1.156-12
211	$3s3p^4(^2S)3d^2(^3F)$	$^4F_{7/2}$	82.6657	9.834-13
212	$3s3p^4(^4P)3d^2(^3F)$	$^2G_{9/2}$	82.7997	8.452-13
213	$3s3p^4(^2P)3d^2(^3F)$	$^4F_{5/2}$	82.9368	7.337-13
214	$3s3p^4(^4P)3d^2(^1D)$	$^4P_{1/2}$	83.0883	8.928-13
215	$3s3p^4(^4P)3d^2(^3P)$	$^4P_{3/2}$	83.3138	7.703-13
216	$3s3p^4(^2P)3d^2(^3F)$	$^4G_{9/2}$	83.2386	6.569-13
217	$3s3p^5(^3P)3d$	$^4F^o_{3/2}$	83.3131	2.933-13
218	$3s3p^4(^4P)3d^2(^3P)$	$^4D_{7/2}$	83.4001	8.494-13
219	$3s3p^4(^2D)3d^2(^3F)$	$^4P_{5/2}$	83.5805	7.876-13
220	$3s3p^4(^4P)3d^2(^1G)$	$^4G_{7/2}$	83.7430	8.816-13
221	$3s^23p^2(^3P)3d^3(^4F)$	$^6D_{1/2}$	83.9488	1.500-13
222	$3s3p^4(^2S)3d^2(^3P)$	$^4P_{3/2}$	83.9779	1.063-12
223	$3s3p^4(^2P)3d^2(^3P)$	$^4D_{5/2}$	83.9725	8.201-13
224	$3s3p^4(^2S)3d^2(^3F)$	$^2F_{5/2}$	84.1721	6.493-13
225	$3s3p^4(^4P)3d^2(^3P)$	$^4S_{3/2}$	84.2352	7.017-13
226	$3s3p^4(^2P)3d^2(^1G)$	$^2H_{11/2}$	84.1089	5.320-13
227	$3s3p^4(^2S)3d^2(^1G)$	$^2G_{9/2}$	84.1995	8.526-13
228	$3s^23p^2(^1D)3d^3(^4F)$	$^4G_{5/2}$	84.5442	1.460-13
229	$3s3p^4(^4P)3d^2(^1G)$	$^4F_{7/2}$	84.4461	5.257-13
230	$3s^23p^2(^1D)3d^3(^4F)$	$^4D_{3/2}$	84.5502	3.050-13
231	$3s3p^5(^3P)3d$	$^4F^o_{5/2}$	84.7289	2.551-13
232	$3s3p^4(^2P)3d^2(^1G)$	$^2G_{9/2}$	84.7369	5.735-13
233	$3s3p^4(^4P)3d^2(^3P)$	$^4D_{1/2}$	84.9160	7.413-13
234	$3s^23p^2(^3P)3d^3(^4F)$	$^6D_{3/2}$	85.0167	1.831-13
235	$3s3p^4(^4P)3d^2(^3P)$	$^4D_{5/2}$	85.0270	5.177-13
236	$3s3p^4(^2S)3d^2(^3F)$	$^2G_{7/2}$	85.0401	8.245-13
237	$3s3p^4(^2S)3d^2(^1D)$	$^2D_{3/2}$	85.2451	5.923-13
238	$3s3p^4(^2P)3d^2(^1G)$	$^2F_{5/2}$	85.1874	5.132-13
239	$3s3p^4(^2S)3d^2(^3P)$	$^2P_{1/2}$	85.3900	8.403-13
240	$3s3p^4(^4P)3d^2(^3F)$	$^6G_{13/2}$	85.4109	2.759-12
241	$3s3p^4(^2P)3d^2(^1D)$	$^2D_{5/2}$	85.7180	4.836-13
242	$3s^23p^2(^3P)3d^3(^4F)$	$^6G_{7/2}$	85.7286	3.482-13
243	$3s^23p^2(^3P)3d^3(^4F)$	$^6G_{9/2}$	85.9005	4.613-13
244	$3s^23p^2(^3P)3d^3(^2P)$	$^4D_{5/2}$	86.0796	2.847-13
245	$3s3p^5(^3P)3d$	$^4D^o_{1/2}$	86.0520	2.254-13
246	$3s3p^4(^2P)3d^2(^3P)$	$^2D_{3/2}$	86.1841	3.439-13
247	$3s^23p^2(^3P)3d^3(^4F)$	$^6F_{1/2}$	86.2163	3.825-13
248	$3s^23p^2(^3P)3d^3(^4P)$	$^6P_{3/2}$	86.3223	3.202-13
249	$3s3p^5(^3P)3d$	$^2P^o_{3/2}$	86.3059	1.916-13
250	$3s^23p^2(^3P)3d^3(^2G)$	$^4H_{11/2}$	86.1440	9.726-13

Index	Configuration	Level	Energy	τ (s)
251	$3s3p^4(^2P)3d^2(^1G)$	$^2G_{7/2}$	86.3352	4.327-13
252	$3s3p^4(^4P)3d^2(^1D)$	$^4F_{9/2}$	86.3991	1.673-12
253	$3s^23p^2(^1D)3d^3(^4F)$	$^4D_{1/2}$	86.7377	4.524-13
254	$3s^23p^2(^3P)3d^3(^4F)$	$^4F_{3/2}$	86.7530	4.255-13
255	$3s^23p^2(^1D)3d^3(^2G)$	$^2I_{13/2}$	86.6163	1.328-12
256	$3s^23p^2(^1D)3d^3(^2G)$	$^2D_{5/2}$	86.8589	4.673-13
257	$3s^23p^2(^3P)3d^3(^2G)$	$^4G_{7/2}$	86.8310	5.673-13
258	$3s^23p^2(^3P)3d^3(^2G)$	$^2H_{9/2}$	87.0351	5.259-13
259	$3s3p^4(^4P)3d^2(^3F)$	$^4G_{11/2}$	87.2106	1.607-12
260	$3s3p^4(^4P)3d^2(^3P)$	$^4P_{5/2}$	87.5082	7.127-13
261	$3s^23p^2(^3P)3d^3(^4F)$	$^4G_{5/2}$	87.8296	5.466-13
262	$3s^23p^2(^1D)3d^3(^4F)$	$^4H_{7/2}$	88.1100	4.665-13
263	$3s^23p^2(^3P)3d^3(^4F)$	$^6F_{3/2}$	88.3017	2.853-13
264	$3s3p^4(^4P)3d^2(^3F)$	$^4D_{7/2}$	88.1738	8.382-13
265	$3s3p^5(^3P)3d$	$^4P^o_{5/2}$	88.3174	6.563-13
266	$3s^23p^2(^1D)3d^3(^4F)$	$^4H_{9/2}$	88.4282	4.141-13
267	$3s^23p^2(^3P)3d^3(^4P)$	$^6D_{7/2}$	88.5953	3.036-13
268	$3s^23p^2(^3P)3d^3(^2P)$	$^4P_{1/2}$	88.7165	2.081-13
269	$3s3p^4(^4P)3d^2(^3P)$	$^2P_{3/2}$	88.6326	9.830-13
270	$3s3p^4(^4P)3d^2(^1D)$	$^4F_{7/2}$	88.6595	9.273-13
271	$3s^23p^2(^3P)3d^3(^2H)$	$^4I_{11/2}$	88.5581	6.297-13
272	$3s3p^4(^4P)3d^2(^3F)$	$^4F_{9/2}$	88.7362	6.434-13
273	$3s^23p^2(^3P)3d^3(^2G)$	$^4G_{5/2}$	88.9558	4.362-13
274	$3s^23p^2(^1D)3d^3(^2G)$	$^2H_{9/2}$	88.8492	3.314-13
275	$3s^23p^2(^1D)3d^3(^2P)$	$^2D_{3/2}$	89.1572	4.428-13
276	$3s^23p^2(^3P)3d^3(^2H)$	$^4H_{7/2}$	89.0861	3.862-13
277	$3s3p^4(^2P)3d^2(^3F)$	$^4G_{11/2}$	88.9946	6.499-13
278	$3s^23p^2(^3P)3d^3(^4F)$	$^6D_{7/2}$	89.4354	1.678-13
279	$3s3p^4(^4P)3d^2(^3F)$	$^2F_{5/2}$	89.4607	2.379-13
280	$3s^23p^2(^3P)3d^3(^2F)$	$^4D_{3/2}$	89.5824	2.793-13
281	$3s^23p^2(^1D)3d^3(^4F)$	$^4P_{1/2}$	89.7407	1.691-13
282	$3s3p^4(^2S)3d^2(^3F)$	$^4F_{9/2}$	89.6729	7.529-13
283	$3s^23p^2(^3P)3d^3(^2G)$	$^4G_{11/2}$	89.7104	1.551-13
284	$3s^23p^2(^3P)3d^3(^4F)$	$^6D_{5/2}$	89.8458	2.696-13
285	$3s3p^4(^4P)3d^2(^1S)$	$^4P_{5/2}$	90.0498	6.633-13
286	$3s^23p^2(^1D)3d^3(^4F)$	$^4P_{3/2}$	90.1977	1.611-13
287	$3s^23p^2(^1D)3d^3(^2G)$	$^2F_{5/2}$	90.3066	2.798-13
288	$3s^23p^2(^1D)3d^3(^2H)$	$^2G_{7/2}$	90.2772	1.714-13
289	$3s^23p^3(^2D)3d^2(^1D)$	$^2G^o_{7/2}$	90.1825	2.363-13
290	$3s^23p^3(^2P)3d^2(^3F)$	$^4F^o_{5/2}$	90.3560	1.804-13
291	$3s3p^4(^4P)3d^2(^1D)$	$^4P_{3/2}$	90.4621	4.603-13
292	$3s3p^4(^2P)3d^2(^3F)$	$^4F_{9/2}$	90.3692	2.407-13
293	$3s^23p^3(^2P)3d^2(^3F)$	$^2G^o_{7/2}$	90.4541	2.923-13
294	$3s^23p^3(^2P)3d^2(^3F)$	$^4F^o_{3/2}$	90.5421	1.473-13
295	$3s^23p^2(^3P)3d^3(^4P)$	$^6P_{5/2}$	90.5577	1.515-13
296	$3s^23p^2(^1D)3d^3(^2D)$	$^2G_{9/2}$	90.5157	3.213-13
297	$3s3p^4(^2P)3d^2(^1D)$	$^2F_{7/2}$	90.5814	5.899-13
298	$3s3p^4(^2S)3d^2(^3P)$	$^4P_{5/2}$	90.6627	7.170-13
299	$3s^23p^3(^2D)3d^2(^3F)$	$^2P^o_{1/2}$	90.7375	1.244-13
300	$3s3p^4(^2D)3d^2(^3P)$	$^2P_{1/2}$	90.8005	9.040-13

Index	Configuration	Level	Energy	τ (s)
301	$3s3p^5(^3P)3d$	$^4D^o_{3/2}$	90.8633	3.011-13
302	$3s3p^4(^2S)3d^2(^3F)$	$^2F_{7/2}$	90.8591	6.707-13
303	$3s3p^5(^3P)3d$	$^2F^o_{5/2}$	90.8305	3.239-13
304	$3s3p^4(^2S)3d^2(^3P)$	$^2P_{3/2}$	91.1510	5.605-13
305	$3s^23p^2(^1D)3d^3(^2G)$	$^2F_{7/2}$	91.2677	2.399-13
306	$3s^23p^2(^3P)3d^3(^2D)$	$^4P_{5/2}$	91.3920	1.935-13
307	$3s^23p^2(^1D)3d^3(^2F)$	$^2G_{7/2}$	91.3596	5.674-13
308	$3s^23p^2(^1D)3d^3(^4P)$	$^4D_{3/2}$	91.4950	1.824-13
309	$3s3p^4(^2P)3d^2(^3P)$	$^4P_{5/2}$	91.4767	6.208-13
310	$3s^23p^2(^3P)3d^3(^4F)$	$^6G_{11/2}$	91.3319	2.728-12
311	$3s^23p^2(^3P)3d^3(^4P)$	$^2S_{1/2}$	91.5967	3.630-13
312	$3s^23p^2(^3P)3d^3(^2G)$	$^4H_{9/2}$	91.4877	8.722-13
313	$3s^23p^2(^1D)3d^3(^4F)$	$^4D_{5/2}$	91.6643	2.248-13
314	$3s^23p^2(^3P)3d^3(^2H)$	$^4G_{9/2}$	91.7878	1.620-13
315	$3s^23p^2(^3P)3d^3(^2P)$	$^2P_{3/2}$	91.8595	7.932-13
316	$3s^23p^2(^3P)3d^3(^4F)$	$^2D_{5/2}$	91.9591	3.150-13
317	$3s3p^4(^2S)3d^2(^1S)$	$^2S_{1/2}$	92.1609	2.470-13
318	$3s3p^4(^4P)3d^2(^3F)$	$^2D_{3/2}$	92.0277	5.499-13
319	$3s^23p^2(^3P)3d^3(^2D)$	$^4D_{7/2}$	92.1253	9.139-13
320	$3s^23p^2(^3P)3d^3(^2P)$	$^4D_{3/2}$	92.2743	5.279-13
321	$3s^23p^2(^3P)3d^3(^2H)$	$^4I_{13/2}$	91.9197	3.721-12
322	$3s^23p^3(^2P)3d^2(^3P)$	$^4P^o_{3/2}$	92.3266	1.557-13
323	$3s3p^3(^3P)3d^3(^4F)$	$^6D^o_{1/2}$	92.5856	1.133-11
324	$3s^23p^2(^3P)3d^3(^2G)$	$^4F_{7/2}$	92.4419	1.559-13
325	$3s^23p^2(^3P)3d^3(^2D)$	$^4F_{7/2}$	92.3652	6.991-13
326	$3s^23p^2(^1D)3d^3(^2G)$	$^2D_{3/2}$	92.5729	2.240-13
327	$3s3p^4(^4P)3d^2(^1S)$	$^4P_{1/2}$	92.6625	4.437-13
328	$3s^23p^2(^3P)3d^3(^2F)$	$^4G_{5/2}$	92.5582	6.185-13
329	$3s^23p^2(^3P)3d^3(^2F)$	$^4G_{9/2}$	92.4875	1.198-12
330	$3s^23p^2(^3P)3d^3(^2F)$	$^4F_{3/2}$	92.8087	1.933-13
331	$3s^23p^2(^1D)3d^3(^2H)$	$^2F_{5/2}$	92.8101	1.981-13
332	$3s^23p^2(^3P)3d^3(^4F)$	$^4G_{7/2}$	92.7861	8.267-13
333	$3s^23p^2(^3P)3d^3(^2D)$	$^4P_{5/2}$	92.9187	4.069-13
334	$3s3p^4(^2P)3d^2(^1S)$	$^2P_{3/2}$	93.0415	5.171-13
335	$3s^23p^2(^3P)3d^3(^4F)$	$^4G_{9/2}$	92.8427	1.061-12
336	$3s3p^3(^4S)3d^3(^4F)$	$^8F^o_{3/2}$	93.2627	8.984-12
337	$3s^23p^2(^3P)3d^3(^2F)$	$^4G_{7/2}$	92.9878	1.060-12
338	$3s^23p^2(^3P)3d^3(^4P)$	$^6S_{5/2}$	93.1365	6.104-13
339	$3s^23p^2(^1D)3d^3(^2F)$	$^2P_{1/2}$	93.2940	2.363-13
340	$3s3p^3(^5S)3d^3(^4F)$	$^8F^o_{5/2}$	93.6198	7.966-12
341	$3s^23p^2(^3P)3d^3(^2H)$	$^4G_{11/2}$	93.1646	9.780-13
342	$3s^23p^2(^1D)3d^3(^2H)$	$^2K_{15/2}$	93.1763	4.055-12
343	$3s3p^3(^3P)3d^3(^2P)$	$^4D^o_{7/2}$	93.8395	8.680-12
344	$3s^23p^2(^1D)3d^3(^2F)$	$^2H_{9/2}$	93.5483	1.716-12
345	$3s3p^4(^2D)3d^2(^3P)$	$^4P_{1/2}$	93.9095	4.196-13
346	$3s^23p^2(^1D)3d^3(^4F)$	$^4G_{11/2}$	93.7166	9.085-13
347	$3s^23p^2(^3P)3d^3(^2H)$	$^2I_{13/2}$	93.6639	1.353-12
348	$3s^23p^2(^3P)3d^3(^2F)$	$^2F_{5/2}$	93.9787	7.353-13
349	$3s^23p^3(^2P)3d^2(^3F)$	$^4G^o_{9/2}$	94.0263	4.109-13
350	$3s^23p^2(^3P)3d^3(^2D)$	$^2D_{3/2}$	94.2168	7.398-13

Index	Configuration	Level	Energy	τ (s)
351	$3s^2 3p^3(^2P)3d^2(^3F)$	$^4D^o_{5/2}$	94.5885	2.107-13
352	$3s^2 3p^3(^4S)3d^2(^3P)$	$^6P^o_{7/2}$	94.5717	2.698-13
353	$3s^2 3p^3(^2P)3d^2(^1G)$	$^2H^o_{11/2}$	94.6042	5.138-13
354	$3s^2 3p^2(^3P)3d^3(^2D)$	$^4F_{5/2}$	94.8229	1.151-12
355	$3s^2 3p^2(^3P)3d^3(^4F)$	$^4D_{7/2}$	94.8309	4.948-13
356	$3s^2 3p^2(^3P)3d^3(^2H)$	$^4H_{13/2}$	94.7132	3.702-13
357	$3s^2 3p^3(^4S)3d^2(^3P)$	$^2P^o_{3/2}$	94.9166	2.582-13
358	$3s^2 3p^2(^1D)3d^3(^4P)$	$^4F_{3/2}$	94.9740	7.043-13
359	$3s^2 3p^3(^2P)3d^2(^3P)$	$^4P^o_{5/2}$	94.9534	2.362-13
360	$3s^2 3p^3(^2P)3d^2(^3F)$	$^2F^o_{7/2}$	94.8920	3.688-13
361	$3s3p^3(^3P)3d^3(^4F)$	$^6F^o_{1/2}$	95.3607	1.089-12
362	$3s^2 3p^2(^1D)3d^3(^2F)$	$^2H_{11/2}$	94.9819	2.721-13
363	$3s^2 3p^2(^3P)3d^3(^4F)$	$^4F_{5/2}$	95.1677	4.407-13
364	$3s^2 3p^2(^1D)3d^3(^4F)$	$^4G_{7/2}$	95.1665	6.290-13
365	$3s^2 3p^2(^1D)3d^3(^4F)$	$^4G_{9/2}$	95.2118	3.676-13
366	$3s^2 3p^2(^3P)3d^3(^4P)$	$^4D_{1/2}$	95.3427	8.769-13
367	$3s^2 3p^2(^3P)3d^3(^4P)$	$^4S_{3/2}$	95.4039	5.791-13
368	$3s^2 3p^3(^2P)3d^2(^1D)$	$^2P^o_{1/2}$	95.3854	3.821-13
369	$3s^2 3p^2(^1D)3d^3(^2H)$	$^2F_{7/2}$	95.3729	3.516-13
370	$3s^2 3p^2(^1D)3d^3(^4F)$	$^4P_{5/2}$	95.5573	3.219-13
371	$3s^2 3p^2(^1D)3d^3(^4F)$	$^4F_{9/2}$	95.5364	3.384-13
372	$3s^2 3p^2(^3P)3d^3(^2D)$	$^4D_{1/2}$	95.7626	7.045-13
373	$3s^2 3p^2(^1D)3d^3(^2P)$	$^2P_{3/2}$	95.7615	2.054-13
374	$3s^2 3p^3(^2P)3d^2(^1G)$	$^2G^o_{7/2}$	95.7123	3.773-13
375	$3s^2 3p^2(^1D)3d^3(^4F)$	$^4F_{5/2}$	95.8452	3.722-13
376	$3s^2 3p^2(^3P)3d^3(^2H)$	$^2I_{11/2}$	95.7238	7.692-13
377	$3s^2 3p^2(^1D)3d^3(^2D)$	$^2G_{9/2}$	95.8190	4.526-13
378	$3s^2 3p^3(^2P)3d^2(^3P)$	$^2D^o_{5/2}$	95.9594	3.483-13
379	$3s^2 3p^2(^1D)3d^3(^2D)$	$^2F_{7/2}$	95.9736	2.521-13
380	$3s^2 3p^2(^1D)3d^3(^4P)$	$^4P_{1/2}$	96.0926	6.393-13
381	$3s^2 3p^3(^2P)3d^2(^1G)$	$^2G^o_{9/2}$	95.9432	5.152-13
382	$3s^2 3p^2(^1D)3d^3(^2D)$	$^2P_{3/2}$	96.1877	7.044-13
383	$3s^2 3p^2(^1D)3d^3(^2H)$	$^2H_{11/2}$	96.0177	2.177-13
384	$3s^2 3p^2(^1D)3d^3(^4P)$	$^4F_{9/2}$	96.1346	1.807-13
385	$3s^2 3p^3(^2P)3d^2(^3P)$	$^4S^o_{3/2}$	96.2583	2.961-13
386	$3s^2 3p^2(^1D)3d^3(^4P)$	$^4P_{5/2}$	96.3205	1.947-13
387	$3s3p^3(^3D)3d^3(^4F)$	$^6H^o_{5/2}$	96.6655	3.919-13
388	$3s^2 3p^2(^1D)3d^3(^2F)$	$^2G_{9/2}$	96.3712	3.635-13
389	$3s^2 3p^2(^1D)3d^3(^2D)$	$^2G_{7/2}$	96.5235	7.645-13
390	$3s^2 3p^2(^1D)3d^3(^4F)$	$^4D_{7/2}$	96.7358	1.774-13
391	$3s^2 3p^2(^3P)3d^3(^2D)$	$^4D_{3/2}$	96.8605	5.199-13
392	$3s3p^3(^1P)3d^3(^4F)$	$^4F^o_{3/2}$	97.2132	3.296-13
393	$3s^2 3p^2(^1D)3d^3(^4P)$	$^4D_{1/2}$	96.9097	2.174-13
394	$3s^2 3p^2(^1D)3d^3(^2F)$	$^2F_{7/2}$	97.1054	3.636-13
395	$3s^2 3p^2(^1D)3d^3(^2F)$	$^2D_{3/2}$	97.3010	2.073-13
396	$3s^2 3p^2(^1D)3d^3(^2D)$	$^2F_{5/2}$	97.3235	5.240-13
397	$3s3p^3(^5S)3d^3(^4F)$	$^8F^o_{9/2}$	98.0418	1.025-11
398	$3s^2 3p^3(^2P)3d^2(^3F)$	$^2D^o_{3/2}$	97.9345	2.749-13
399	$3s^2 3p^2(^3P)3d^3(^4P)$	$^4P_{3/2}$	98.0387	1.910-13
400	$3s^2 3p^2(^1D)3d^3(^2D)$	$^2F_{5/2}$	98.0270	3.081-13

Table 3: Transition wavelengths (λ_{ij} in Å), radiative rates (A_{ji} in s^{-1}), oscillator strengths (f_{ij}, dimensionless), and line strengths (S, in atomic units) for electric dipole (E1), and A_{ji} for E2, M1, and M2 transitions in W LVIII. ($a\pm b \equiv a\times10^{\pm b}$).

i	j	λ_{ij}	A_{ji}^{E1}	f_{ij}^{E1}	S^{E1}	A_{ji}^{E2}	A_{ji}^{M1}	A_{ji}^{M2}
1	2	5.237+01	2.647+09	1.088−03	7.505−04	0.000+00	0.000+00	3.430+00
1	3	5.103+01	4.157+09	2.434−03	1.636−03	0.000+00	0.000+00	1.466+01
1	4	5.085+01	2.011+10	3.899−03	2.611−03	0.000+00	0.000+00	3.636+01
1	5	5.027+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	3.598+01
1	6	4.659+01	1.836+09	5.977−04	3.667−04	0.000+00	0.000+00	1.470+02
1	7	3.909+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	3.608+04
1	9	3.801+01	8.374+10	9.069−03	4.539−03	0.000+00	0.000+00	9.836+04
1	10	3.569+01	0.000+00	0.000+00	0.000+00	1.060+07	3.825+08	0.000+00
1	11	3.556+01	1.571+08	4.470−05	2.093−05	0.000+00	0.000+00	2.548+04
1	12	3.491+01	5.100+11	9.317−02	4.283−02	0.000+00	0.000+00	3.215+04
1	13	3.450+01	7.041+11	1.884−01	8.559−02	0.000+00	0.000+00	2.317+03
1	14	2.539+01	0.000+00	0.000+00	0.000+00	5.673+03	2.339+04	0.000+00
1	15	2.506+01	0.000+00	0.000+00	0.000+00	2.123+05	1.885+05	0.000+00
1	16	2.507+01	0.000+00	0.000+00	0.000+00	4.322+04	1.634+04	0.000+00
1	17	2.497+01	0.000+00	0.000+00	0.000+00	9.337+03	0.000+00	0.000+00
1	18	2.388+01	0.000+00	0.000+00	0.000+00	1.737+05	3.978+02	0.000+00
1	19	2.286+01	1.247+12	4.882−02	1.469−02	0.000+00	0.000+00	5.761+05
1	21	2.174+01	0.000+00	0.000+00	0.000+00	9.287+03	0.000+00	0.000+00
1	22	2.165+01	7.114+10	2.500−03	7.130−04	0.000+00	0.000+00	1.126+05
1	23	2.141+01	0.000+00	0.000+00	0.000+00	3.967+04	1.096+03	0.000+00
1	24	2.139+01	0.000+00	0.000+00	0.000+00	3.230+05	4.706+03	0.000+00
1	25	2.135+01	0.000+00	0.000+00	0.000+00	1.607+05	1.732+04	0.000+00
1	26	2.131+01	0.000+00	0.000+00	0.000+00	6.497+02	7.465+03	0.000+00
1	27	2.126+01	3.221+08	2.182−05	6.107−06	0.000+00	0.000+00	1.158+04
1	29	2.111+01	0.000+00	0.000+00	0.000+00	5.895+05	0.000+00	0.000+00
1	30	2.097+01	1.115+11	1.102−02	3.043−03	0.000+00	0.000+00	1.675+04
1	31	2.092+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	1.740+04
1	32	2.069+01	0.000+00	0.000+00	0.000+00	2.231+05	0.000+00	0.000+00
1	33	2.064+01	0.000+00	0.000+00	0.000+00	3.543+05	3.891+00	0.000+00
1	34	2.053+01	0.000+00	0.000+00	0.000+00	5.266+03	2.289+04	0.000+00
1	36	2.024+01	0.000+00	0.000+00	0.000+00	3.596+04	2.112+04	0.000+00
1	37	2.000+01	0.000+00	0.000+00	0.000+00	9.447+04	1.254+03	0.000+00
1	38	1.993+01	0.000+00	0.000+00	0.000+00	9.423+05	1.949+05	0.000+00
1	39	1.985+01	3.200+12	2.834−01	7.407−02	0.000+00	0.000+00	7.563+00
1	40	1.977+01	3.218+12	1.885−01	4.907−02	0.000+00	0.000+00	1.342+04
1	41	1.954+01	6.838+12	1.957−01	5.037−02	0.000+00	0.000+00	2.099+05
1	42	1.886+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	2.173+05
1	44	1.866+01	0.000+00	0.000+00	0.000+00	1.058+06	5.099+03	0.000+00
1	45	1.860+01	1.009+10	5.229−04	1.280−04	0.000+00	0.000+00	2.296+05
1	46	1.853+01	0.000+00	0.000+00	0.000+00	6.441+05	0.000+00	0.000+00
1	47	1.848+01	4.041+07	3.104−06	7.555−07	0.000+00	0.000+00	5.126+03
1	50	1.829+01	2.858+09	2.151−04	5.180−05	0.000+00	0.000+00	2.832+05
1	51	1.813+01	0.000+00	0.000+00	0.000+00	2.603+06	1.560+03	0.000+00
1	52	1.807+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	2.662+04
1	53	1.772+01	0.000+00	0.000+00	0.000+00	2.258+04	0.000+00	0.000+00
1	54	1.763+01	0.000+00	0.000+00	0.000+00	1.274+05	1.380+03	0.000+00
1	55	1.760+01	0.000+00	0.000+00	0.000+00	2.223+06	3.962+03	0.000+00
1	56	1.746+01	4.351+10	1.989−03	4.573−04	0.000+00	0.000+00	8.998+04
1	57	1.729+01	0.000+00	0.000+00	0.000+00	1.484+06	3.608+03	0.000+00
1	58	1.722+01	4.522+10	1.005−03	2.281−04	0.000+00	0.000+00	4.986+04

Table 3: Transition wavelengths (λ_{ij} in Å), radiative rates (A_{ji} in s^{-1}), oscillator strengths (f_{ij}, dimensionless), and line strengths (S, in atomic units) for electric dipole (E1), and A_{ji} for E2, M1, and M2 transitions in W LVIII. ($a\pm b \equiv a\times10^{\pm b}$).

i	j	λ_{ij}	A_{ji}^{E1}	f_{ij}^{E1}	S^{E1}	A_{ji}^{E2}	A_{ji}^{M1}	A_{ji}^{M2}
1	59	1.640+01	2.522+08	1.017−05	2.195−06	0.000+00	0.000+00	2.296+01
1	60	1.632+01	0.000+00	0.000+00	0.000+00	1.017+07	1.952+03	0.000+00
1	61	1.598+01	0.000+00	0.000+00	0.000+00	2.893+07	3.837+03	0.000+00
1	62	1.582+01	0.000+00	0.000+00	0.000+00	1.280+08	0.000+00	0.000+00
1	63	1.578+01	0.000+00	0.000+00	0.000+00	5.520+07	4.160+04	0.000+00
1	64	1.553+01	0.000+00	0.000+00	0.000+00	1.099+08	1.317+06	0.000+00
1	65	1.540+01	0.000+00	0.000+00	0.000+00	5.818+07	1.734+03	0.000+00
1	66	1.534+01	0.000+00	0.000+00	0.000+00	6.564+07	1.983+04	0.000+00
1	67	1.490+01	0.000+00	0.000+00	0.000+00	1.652+07	1.055+04	0.000+00
1	68	1.490+01	0.000+00	0.000+00	0.000+00	2.104+06	2.993+02	0.000+00
1	69	1.482+01	5.342+05	2.638−08	5.147−09	0.000+00	0.000+00	1.070+01
1	70	1.483+01	0.000+00	0.000+00	0.000+00	6.949+06	0.000+00	0.000+00
1	71	1.479+01	0.000+00	0.000+00	0.000+00	1.579+08	8.731+05	0.000+00
1	72	1.470+01	5.013+06	1.624−07	3.142−08	0.000+00	0.000+00	3.575+01
1	74	1.459+01	4.001+05	6.386−09	1.227−09	0.000+00	0.000+00	2.999+00
1	76	1.459+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	3.754+00
1	78	1.448+01	0.000+00	0.000+00	0.000+00	4.996+06	8.886+03	0.000+00
1	79	1.437+01	0.000+00	0.000+00	0.000+00	1.596+08	1.335+03	0.000+00
1	80	1.430+01	0.000+00	0.000+00	0.000+00	1.796+08	0.000+00	0.000+00
1	81	1.425+01	0.000+00	0.000+00	0.000+00	5.868+06	7.724+05	0.000+00
1	82	1.421+01	0.000+00	0.000+00	0.000+00	4.428+08	8.390+04	0.000+00
1	83	1.415+01	2.980+05	1.343−08	2.503−09	0.000+00	0.000+00	1.431−02
1	84	1.409+01	0.000+00	0.000+00	0.000+00	3.750+05	8.121+04	0.000+00
1	85	1.407+01	0.000+00	0.000+00	0.000+00	4.532+06	2.158+02	0.000+00
1	86	1.410+01	0.000+00	0.000+00	0.000+00	2.076+08	0.000+00	0.000+00
1	87	1.404+01	0.000+00	0.000+00	0.000+00	5.679+05	0.000+00	0.000+00
1	88	1.402+01	0.000+00	0.000+00	0.000+00	4.253+07	3.457+04	0.000+00
1	89	1.392+01	0.000+00	0.000+00	0.000+00	3.152+07	4.926+04	0.000+00
1	90	1.391+01	0.000+00	0.000+00	0.000+00	2.465+08	2.164+04	0.000+00
1	91	1.380+01	0.000+00	0.000+00	0.000+00	2.482+07	2.056+04	0.000+00
1	93	1.379+01	0.000+00	0.000+00	0.000+00	1.284+07	2.095+03	0.000+00
1	94	1.378+01	0.000+00	0.000+00	0.000+00	7.806+07	0.000+00	0.000+00
1	95	1.373+01	0.000+00	0.000+00	0.000+00	4.939+05	7.736+04	0.000+00
1	96	1.373+01	0.000+00	0.000+00	0.000+00	4.843+08	2.642+05	0.000+00
1	97	1.368+01	0.000+00	0.000+00	0.000+00	2.895+07	6.798+03	0.000+00
1	98	1.368+01	0.000+00	0.000+00	0.000+00	8.273+07	6.575+03	0.000+00
1	99	1.369+01	0.000+00	0.000+00	0.000+00	1.993+06	0.000+00	0.000+00
1	100	1.366+01	0.000+00	0.000+00	0.000+00	3.908+07	6.577+03	0.000+00
1	103	1.351+01	0.000+00	0.000+00	0.000+00	2.464+06	8.932+01	0.000+00
1	104	1.351+01	0.000+00	0.000+00	0.000+00	4.122+06	6.528+03	0.000+00
1	106	1.337+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	7.415+00
1	108	1.331+01	0.000+00	0.000+00	0.000+00	4.266+05	0.000+00	0.000+00
1	110	1.325+01	0.000+00	0.000+00	0.000+00	1.150+07	7.483+03	0.000+00
1	111	1.322+01	0.000+00	0.000+00	0.000+00	1.358+06	5.286+04	0.000+00
1	112	1.321+01	1.280+07	3.347−07	5.821−08	0.000+00	0.000+00	2.046+01
1	113	1.319+01	0.000+00	0.000+00	0.000+00	6.593+06	4.450+03	0.000+00
1	114	1.316+01	1.272+06	1.652−08	2.863−09	0.000+00	0.000+00	1.412−01
1	115	1.315+01	9.268+06	3.606−07	6.246−08	0.000+00	0.000+00	4.153−01
1	117	1.315+01	0.000+00	0.000+00	0.000+00	1.495+07	1.135+00	0.000+00
1	118	1.312+01	0.000+00	0.000+00	0.000+00	1.380+06	3.700+02	0.000+00

Table 3: Transition wavelengths (λ_{ij} in Å), radiative rates (A_{ji} in s^{-1}), oscillator strengths (f_{ij}, dimensionless), and line strengths (S, in atomic units) for electric dipole (E1), and A_{ji} for E2, M1, and M2 transitions in W LVIII. ($a\pm b \equiv a\times10^{\pm b}$).

i	j	λ_{ij}	A_{ji}^{E1}	f_{ij}^{E1}	S^{E1}	A_{ji}^{E2}	A_{ji}^{M1}	A_{ji}^{M2}
1	121	1.312+01	0.000+00	0.000+00	0.000+00	2.888+06	2.309+03	0.000+00
1	122	1.312+01	0.000+00	0.000+00	0.000+00	3.699+07	0.000+00	0.000+00
1	124	1.302+01	0.000+00	0.000+00	0.000+00	2.512+07	0.000+00	0.000+00
1	125	1.299+01	5.245+07	1.990−06	3.403−07	0.000+00	0.000+00	5.658−05
1	126	1.298+01	0.000+00	0.000+00	0.000+00	2.466+07	1.712+04	0.000+00
1	128	1.298+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	1.344+01
1	129	1.297+01	0.000+00	0.000+00	0.000+00	7.440+04	1.133+04	0.000+00
1	130	1.298+01	0.000+00	0.000+00	0.000+00	5.942+06	0.000+00	0.000+00
1	131	1.293+01	0.000+00	0.000+00	0.000+00	1.626+06	1.381+04	0.000+00
1	132	1.293+01	0.000+00	0.000+00	0.000+00	8.060+07	3.979+03	0.000+00
1	134	1.289+01	0.000+00	0.000+00	0.000+00	1.267+06	1.002+04	0.000+00
1	135	1.289+01	0.000+00	0.000+00	0.000+00	1.546+07	0.000+00	0.000+00
1	136	1.286+01	0.000+00	0.000+00	0.000+00	3.665+06	4.884+04	0.000+00
1	137	1.284+01	9.157+08	2.262−05	3.823−06	0.000+00	0.000+00	1.563+03
1	138	1.269+01	4.199+07	1.013−06	1.693−07	0.000+00	0.000+00	1.567+00
1	139	1.270+01	0.000+00	0.000+00	0.000+00	3.661+06	0.000+00	0.000+00
1	141	1.268+01	0.000+00	0.000+00	0.000+00	1.533+07	1.271+02	0.000+00
1	142	1.260+01	0.000+00	0.000+00	0.000+00	7.421+05	1.141+04	0.000+00
1	143	1.258+01	0.000+00	0.000+00	0.000+00	1.764+07	7.903+04	0.000+00
1	144	1.260+01	0.000+00	0.000+00	0.000+00	1.341+04	0.000+00	0.000+00
1	145	1.256+01	0.000+00	0.000+00	0.000+00	4.035+07	1.104+04	0.000+00
1	146	1.255+01	0.000+00	0.000+00	0.000+00	3.735+07	2.166+03	0.000+00
1	147	1.247+01	0.000+00	0.000+00	0.000+00	1.553+08	4.352+03	0.000+00
1	148	1.243+01	1.166+08	1.350−06	2.209−07	0.000+00	0.000+00	2.365+02
1	149	1.247+01	0.000+00	0.000+00	0.000+00	1.701+08	0.000+00	0.000+00
1	151	1.244+01	0.000+00	0.000+00	0.000+00	9.893+06	1.770+04	0.000+00
1	153	1.239+01	0.000+00	0.000+00	0.000+00	1.086+07	2.037+04	0.000+00
1	154	1.239+01	0.000+00	0.000+00	0.000+00	2.615+07	2.285+04	0.000+00
1	155	1.232+01	3.196+08	7.267−06	1.179−06	0.000+00	0.000+00	2.869+02
1	157	1.226+01	3.203+08	1.083−05	1.748−06	0.000+00	0.000+00	1.941+02
1	158	1.227+01	0.000+00	0.000+00	0.000+00	3.366+06	1.350+05	0.000+00
1	159	1.223+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	7.644+01
1	160	1.223+01	0.000+00	0.000+00	0.000+00	3.273+06	0.000+00	0.000+00
1	163	1.212+01	0.000+00	0.000+00	0.000+00	5.908+06	0.000+00	0.000+00
1	165	1.209+01	1.055+09	3.465−05	5.514−06	0.000+00	0.000+00	5.250+02
1	166	1.205+01	0.000+00	0.000+00	0.000+00	1.266+05	2.550+05	0.000+00
1	167	1.201+01	7.663+06	2.484−07	3.928−08	0.000+00	0.000+00	7.362+02
1	169	1.202+01	0.000+00	0.000+00	0.000+00	1.899+04	2.255+05	0.000+00
1	170	1.200+01	0.000+00	0.000+00	0.000+00	2.004+07	0.000+00	0.000+00
1	171	1.197+01	0.000+00	0.000+00	0.000+00	8.548+04	1.354+04	0.000+00
1	172	1.190+01	1.302+08	1.384−06	2.169−07	0.000+00	0.000+00	6.725+02
1	173	1.190+01	2.347+08	4.984−06	7.811−07	0.000+00	0.000+00	1.229+02
1	174	1.194+01	0.000+00	0.000+00	0.000+00	2.660+06	9.626+05	0.000+00
1	175	1.193+01	2.732+07	5.829−07	9.157−08	0.000+00	0.000+00	2.578+01
1	177	1.190+01	0.000+00	0.000+00	0.000+00	8.047+06	3.528+05	0.000+00
1	178	1.187+01	0.000+00	0.000+00	0.000+00	5.032+06	5.429+05	0.000+00
1	179	1.181+01	6.555+07	2.054−06	3.193−07	0.000+00	0.000+00	4.407−01
1	180	1.181+01	0.000+00	0.000+00	0.000+00	5.752+06	0.000+00	0.000+00
1	181	1.173+01	7.699+06	2.380−07	3.675−08	0.000+00	0.000+00	9.389+02
1	182	1.175+01	0.000+00	0.000+00	0.000+00	5.618+05	5.354+04	0.000+00

Table 3: Transition wavelengths (λ_{ij} in Å), radiative rates (A_{ji} in s^{-1}), oscillator strengths (f_{ij}, dimensionless), and line strengths (S, in atomic units) for electric dipole (E1), and A_{ji} for E2, M1, and M2 transitions in W LVIII. ($a\pm b \equiv a\times10^{\pm b}$).

i	j	λ_{ij}	A_{ji}^{E1}	f_{ij}^{E1}	S^{E1}	A_{ji}^{E2}	A_{ji}^{M1}	A_{ji}^{M2}
1	183	1.171+01	6.671+08	1.371−05	2.114−06	0.000+00	0.000+00	5.396+02
1	184	1.174+01	0.000+00	0.000+00	0.000+00	1.343+07	1.228+05	0.000+00
1	185	1.169+01	9.837+08	3.024−05	4.655−06	0.000+00	0.000+00	8.775+01
1	186	1.169+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	7.370+02
1	187	1.171+01	0.000+00	0.000+00	0.000+00	1.143+07	1.215+04	0.000+00
1	188	1.162+01	0.000+00	0.000+00	0.000+00	3.743+07	2.831+04	0.000+00
1	189	1.148+01	5.389+08	5.320−06	8.040−07	0.000+00	0.000+00	9.710+02
1	191	1.144+01	1.627+08	3.191−06	4.805−07	0.000+00	0.000+00	8.457+01
1	193	1.139+01	2.412+07	7.033−07	1.054−07	0.000+00	0.000+00	3.713+01
1	194	1.139+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	7.393+00
1	195	1.138+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	4.585+02
1	196	1.139+01	0.000+00	0.000+00	0.000+00	9.416+06	1.549+06	0.000+00
1	200	1.120+01	1.738+08	1.633−06	2.408−07	0.000+00	0.000+00	2.031+02
1	201	1.120+01	3.852+07	7.240−07	1.068−07	0.000+00	0.000+00	3.351+01
1	202	1.116+01	3.598+07	6.716−07	9.868−08	0.000+00	0.000+00	4.455+02
1	203	1.115+01	4.328+07	1.211−06	1.779−07	0.000+00	0.000+00	2.418+00
1	204	1.114+01	4.694+06	4.363−08	6.397−09	0.000+00	0.000+00	5.471+02
1	205	1.112+01	5.313+07	1.479−06	2.167−07	0.000+00	0.000+00	1.678+01
1	206	1.111+01	3.912+07	7.240−07	1.059−07	0.000+00	0.000+00	8.138−01
1	207	1.111+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	1.865+02
1	208	1.107+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	3.210+01
1	209	1.104+01	5.912+07	1.080−06	1.569−07	0.000+00	0.000+00	1.047+03
1	210	1.103+01	4.058+06	1.110−07	1.613−08	0.000+00	0.000+00	5.915+02
1	211	1.102+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	1.108+02
1	213	1.099+01	2.057+07	5.585−07	8.080−08	0.000+00	0.000+00	6.250+01
1	214	1.097+01	5.749+08	5.183−06	7.486−07	0.000+00	0.000+00	8.210+01
1	215	1.094+01	8.769+07	1.573−06	2.265−07	0.000+00	0.000+00	4.197+00
1	217	1.094+01	0.000+00	0.000+00	0.000+00	1.514+06	1.023+04	0.000+00
1	218	1.093+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	1.491+03
1	219	1.090+01	3.690+07	9.863−07	1.416−07	0.000+00	0.000+00	4.688+00
1	220	1.088+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	6.662+02
1	221	1.085+01	2.181+07	1.927−07	2.754−08	0.000+00	0.000+00	1.405+00
1	222	1.085+01	2.501+07	4.416−07	6.310−08	0.000+00	0.000+00	1.233+03
1	223	1.085+01	4.440+07	1.176−06	1.680−07	0.000+00	0.000+00	1.611+03
1	224	1.083+01	1.014+07	2.672−07	3.810−08	0.000+00	0.000+00	3.777+01
1	225	1.082+01	6.047+07	1.061−06	1.511−07	0.000+00	0.000+00	8.982+01
1	228	1.078+01	3.983+07	1.041−06	1.477−07	0.000+00	0.000+00	2.788+01
1	229	1.079+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	7.267+00
1	230	1.078+01	7.530+07	1.311−06	1.861−07	0.000+00	0.000+00	2.632+02
1	231	1.076+01	0.000+00	0.000+00	0.000+00	3.058+06	8.084+01	0.000+00
1	233	1.073+01	7.853+07	6.779−07	9.580−08	0.000+00	0.000+00	3.225+02
1	234	1.072+01	7.116+07	1.226−06	1.730−07	0.000+00	0.000+00	7.601+02
1	235	1.072+01	2.597+06	6.709−08	9.468−09	0.000+00	0.000+00	1.109+03
1	236	1.072+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	2.467+01
1	237	1.069+01	2.495+08	4.275−06	6.018−07	0.000+00	0.000+00	2.114+02
1	238	1.070+01	3.402+07	8.755−07	1.233−07	0.000+00	0.000+00	2.941+01
1	239	1.067+01	1.014+08	8.657−07	1.217−07	0.000+00	0.000+00	1.535+03
1	241	1.063+01	1.463+08	3.719−06	5.206−07	0.000+00	0.000+00	5.409+01
1	242	1.063+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	1.453+02
1	244	1.059+01	3.198+06	8.060−08	1.124−08	0.000+00	0.000+00	1.598+03

Table 3: Transition wavelengths (λ_{ij} in Å), radiative rates (A_{ji} in s^{-1}), oscillator strengths (f_{ij}, dimensionless), and line strengths (S, in atomic units) for electric dipole (E1), and A_{ji} for E2, M1, and M2 transitions in W LVIII. ($a\pm b \equiv a\times10^{\pm b}$).

i	j	λ_{ij}	A_{ji}^{E1}	f_{ij}^{E1}	S^{E1}	A_{ji}^{E2}	A_{ji}^{M1}	A_{ji}^{M2}
1	245	1.059+01	0.000+00	0.000+00	0.000+00	7.150+04	1.634+06	0.000+00
1	246	1.057+01	9.831+03	1.648−10	2.294−11	0.000+00	0.000+00	1.966+03
1	247	1.057+01	2.819+07	2.360−07	3.285−08	0.000+00	0.000+00	7.562+01
1	248	1.056+01	7.985+04	1.334−09	1.855−10	0.000+00	0.000+00	6.440+01
1	249	1.056+01	0.000+00	0.000+00	0.000+00	3.403+06	4.015+03	0.000+00
1	251	1.056+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	7.641+00
1	253	1.051+01	4.325+06	3.578−08	4.951−09	0.000+00	0.000+00	2.231+02
1	254	1.050+01	1.640+07	2.713−07	3.752−08	0.000+00	0.000+00	2.660+03
1	256	1.049+01	4.374+07	1.083−06	1.496−07	0.000+00	0.000+00	2.167+01
1	257	1.049+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	1.826+00
1	260	1.041+01	4.847+06	1.182−07	1.621−08	0.000+00	0.000+00	1.426+03
1	261	1.038+01	3.120+07	7.553−07	1.032−07	0.000+00	0.000+00	1.095+03
1	262	1.034+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	9.207+00
1	263	1.032+01	4.383+05	6.999−09	9.511−10	0.000+00	0.000+00	1.244+03
1	264	1.034+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	5.103+02
1	265	1.032+01	0.000+00	0.000+00	0.000+00	6.808+05	1.388+05	0.000+00
1	267	1.029+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	4.517+01
1	268	1.027+01	7.582+04	5.996−10	8.110−11	0.000+00	0.000+00	5.622+01
1	269	1.028+01	2.784+08	4.411−06	5.973−07	0.000+00	0.000+00	7.741+03
1	270	1.028+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	4.368+02
1	273	1.024+01	2.817+06	6.647−08	8.967−09	0.000+00	0.000+00	8.110+01
1	275	1.022+01	3.425+06	5.363−08	7.219−09	0.000+00	0.000+00	3.585+02
1	276	1.023+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	6.717+01
1	278	1.019+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	3.701+01
1	279	1.019+01	1.807+07	4.216−07	5.655−08	0.000+00	0.000+00	2.553+02
1	280	1.017+01	3.929+05	6.095−09	8.165−10	0.000+00	0.000+00	5.437+01
1	281	1.015+01	1.376+08	1.064−06	1.423−07	0.000+00	0.000+00	4.606+00
1	284	1.014+01	3.973+08	9.190−06	1.227−06	0.000+00	0.000+00	4.344+02
1	285	1.012+01	2.270+09	5.228−05	6.967−06	0.000+00	0.000+00	5.333+03
1	286	1.010+01	6.975+07	1.067−06	1.420−07	0.000+00	0.000+00	6.474+02
1	287	1.009+01	9.430+07	2.159−06	2.869−07	0.000+00	0.000+00	1.174+03
1	288	1.009+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	2.611+02
1	289	1.010+01	0.000+00	0.000+00	0.000+00	4.191+06	0.000+00	0.000+00
1	290	1.009+01	0.000+00	0.000+00	0.000+00	4.627+05	1.524+02	0.000+00
1	291	1.007+01	2.551+09	3.880−05	5.147−06	0.000+00	0.000+00	1.912+01
1	293	1.007+01	0.000+00	0.000+00	0.000+00	7.603+04	0.000+00	0.000+00
1	294	1.006+01	0.000+00	0.000+00	0.000+00	2.667+06	1.121+02	0.000+00
1	295	1.006+01	1.423+08	3.240−06	4.294−07	0.000+00	0.000+00	3.102+00
1	297	1.006+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	4.037+03
1	298	1.005+01	3.089+09	7.018−05	9.289−06	0.000+00	0.000+00	1.370+02
1	299	1.004+01	0.000+00	0.000+00	0.000+00	2.125+06	6.647+05	0.000+00
1	300	1.004+01	6.270+09	4.734−05	6.256−06	0.000+00	0.000+00	6.018+03
1	301	1.003+01	0.000+00	0.000+00	0.000+00	9.769+05	2.543+03	0.000+00
1	302	1.003+01	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	1.975+02
1	303	1.003+01	0.000+00	0.000+00	0.000+00	7.390+06	1.920+04	0.000+00
1	304	9.997+00	3.126+08	4.685−06	6.167−07	0.000+00	0.000+00	2.070+03
1	305	9.985+00	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	4.546+02
1	306	9.971+00	2.977+08	6.656−06	8.740−07	0.000+00	0.000+00	1.747+00
1	307	9.974+00	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	2.516+03
1	308	9.960+00	5.798+07	8.622−07	1.131−07	0.000+00	0.000+00	3.261+02

Table 3: Transition wavelengths (λ_{ij} in Å), radiative rates (A_{ji} in s^{-1}), oscillator strengths (f_{ij}, dimensionless), and line strengths (S, in atomic units) for electric dipole (E1), and A_{ji} for E2, M1, and M2 transitions in W LVIII. ($a\pm b \equiv a\times10^{\pm b}$).

i	j	λ_{ij}	A_{ji}^{E1}	f_{ij}^{E1}	S^{E1}	A_{ji}^{E2}	A_{ji}^{M1}	A_{ji}^{M2}
1	309	9.962+00	3.454+09	7.708−05	1.011−05	0.000+00	0.000+00	4.329+03
1	311	9.949+00	2.511+08	1.863−06	2.441−07	0.000+00	0.000+00	1.522+02
1	313	9.941+00	1.242+08	2.760−06	3.613−07	0.000+00	0.000+00	2.891+01
1	315	9.920+00	3.129+07	4.616−07	6.030−08	0.000+00	0.000+00	7.674+01
1	316	9.910+00	4.007+07	8.848−07	1.155−07	0.000+00	0.000+00	1.616+02
1	317	9.888+00	3.693+08	2.707−06	3.524−07	0.000+00	0.000+00	1.998+02
1	318	9.902+00	9.157+08	1.346−05	1.755−06	0.000+00	0.000+00	1.064+03
1	319	9.892+00	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	3.383+02
1	320	9.876+00	1.122+09	1.641−05	2.134−06	0.000+00	0.000+00	4.364+03
1	322	9.870+00	0.000+00	0.000+00	0.000+00	9.057+04	3.063+02	0.000+00
1	323	9.842+00	0.000+00	0.000+00	0.000+00	1.595+03	2.989+02	0.000+00
1	324	9.858+00	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	6.852+00
1	325	9.866+00	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	4.129+02
1	326	9.844+00	1.365+09	1.982−05	2.570−06	0.000+00	0.000+00	1.406+02
1	327	9.834+00	7.261+09	5.264−05	6.817−06	0.000+00	0.000+00	9.599+03
1	328	9.845+00	3.897+07	8.494−07	1.101−07	0.000+00	0.000+00	1.102+00
1	330	9.819+00	8.354+08	1.208−05	1.561−06	0.000+00	0.000+00	1.622+02
1	331	9.819+00	3.985+08	8.639−06	1.117−06	0.000+00	0.000+00	4.496+02
1	332	9.821+00	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	4.064+02
1	333	9.807+00	1.250+09	2.703−05	3.491−06	0.000+00	0.000+00	8.861+02
1	334	9.794+00	1.957+10	2.814−04	3.629−05	0.000+00	0.000+00	3.698+03
1	336	9.771+00	0.000+00	0.000+00	0.000+00	9.193+02	1.982+02	0.000+00
1	337	9.800+00	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	5.376+02
1	338	9.784+00	1.258+09	2.708−05	3.489−06	0.000+00	0.000+00	1.639+02
1	339	9.768+00	6.266+08	4.481−06	5.764−07	0.000+00	0.000+00	5.170+02
1	340	9.734+00	0.000+00	0.000+00	0.000+00	7.009+01	3.405+02	0.000+00
1	343	9.711+00	0.000+00	0.000+00	0.000+00	1.035+03	0.000+00	0.000+00
1	345	9.704+00	1.063+10	7.501−05	9.584−06	0.000+00	0.000+00	6.773+00
1	348	9.696+00	3.459+08	7.313−06	9.338−07	0.000+00	0.000+00	2.356+01
1	350	9.672+00	6.988+06	9.801−08	1.248−08	0.000+00	0.000+00	2.890+01
1	351	9.634+00	0.000+00	0.000+00	0.000+00	1.036+05	8.526+04	0.000+00
1	352	9.636+00	0.000+00	0.000+00	0.000+00	1.659+03	0.000+00	0.000+00
1	354	9.610+00	7.122+06	1.479−07	1.872−08	0.000+00	0.000+00	1.612+01
1	355	9.609+00	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	2.938+02
1	357	9.601+00	0.000+00	0.000+00	0.000+00	9.275+02	3.678+04	0.000+00
1	358	9.595+00	5.430+07	7.494−07	9.469−08	0.000+00	0.000+00	1.032+00
1	359	9.597+00	0.000+00	0.000+00	0.000+00	1.575+06	8.226+04	0.000+00
1	360	9.603+00	0.000+00	0.000+00	0.000+00	2.248+04	0.000+00	0.000+00
1	361	9.556+00	0.000+00	0.000+00	0.000+00	1.880+03	1.029+03	0.000+00
1	363	9.575+00	5.014+07	1.034−06	1.304−07	0.000+00	0.000+00	5.160+01
1	364	9.575+00	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	1.054+02
1	366	9.558+00	2.667+08	1.826−06	2.298−07	0.000+00	0.000+00	1.497+01
1	367	9.552+00	1.293+09	1.769−05	2.224−06	0.000+00	0.000+00	5.305+02
1	368	9.554+00	0.000+00	0.000+00	0.000+00	1.304+04	8.169+04	0.000+00
1	369	9.555+00	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	5.990−01
1	370	9.536+00	5.524+07	1.130−06	1.419−07	0.000+00	0.000+00	7.883+01
1	372	9.516+00	4.440+07	3.014−07	3.776−08	0.000+00	0.000+00	1.048+01
1	373	9.516+00	1.320+09	1.793−05	2.246−06	0.000+00	0.000+00	9.936+01
1	374	9.521+00	0.000+00	0.000+00	0.000+00	1.980+05	0.000+00	0.000+00
1	375	9.508+00	3.143+08	6.390−06	8.000−07	0.000+00	0.000+00	1.783+01

Table 3: Transition wavelengths (λ_{ij} in Å), radiative rates (A_{ji} in s^{-1}), oscillator strengths (f_{ij}, dimensionless), and line strengths (S, in atomic units) for electric dipole (E1), and A_{ji} for E2, M1, and M2 transitions in W LVIII. ($a\pm b \equiv a\times10^{\pm b}$).

i	j	λ_{ij}	A_{ji}^{E1}	f_{ij}^{E1}	S^{E1}	A_{ji}^{E2}	A_{ji}^{M1}	A_{ji}^{M2}
1	378	9.496+00	0.000+00	0.000+00	0.000+00	6.038+03	5.464+04	0.000+00
1	379	9.495+00	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	8.014+02
1	380	9.483+00	1.264+08	8.522−07	1.064−07	0.000+00	0.000+00	1.310+02
1	382	9.474+00	3.308+05	4.452−09	5.554−10	0.000+00	0.000+00	1.309+01
1	385	9.467+00	0.000+00	0.000+00	0.000+00	2.151+04	9.692+04	0.000+00
1	386	9.461+00	4.538+08	9.134−06	1.138−06	0.000+00	0.000+00	6.463+01
1	387	9.427+00	0.000+00	0.000+00	0.000+00	1.288+03	1.039+02	0.000+00
1	389	9.441+00	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	1.037+02
1	390	9.420+00	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	4.891+01
1	391	9.408+00	8.166+06	1.084−07	1.342−08	0.000+00	0.000+00	7.346+00
1	392	9.374+00	0.000+00	0.000+00	0.000+00	2.811+02	4.138+02	0.000+00
1	393	9.403+00	2.090+09	1.385−05	1.715−06	0.000+00	0.000+00	1.550+03
1	394	9.384+00	0.000+00	0.000+00	0.000+00	0.000+00	0.000+00	1.479+02
1	395	9.365+00	6.290+07	8.272−07	1.020−07	0.000+00	0.000+00	3.447+03
1	396	9.363+00	2.751+07	5.424−07	6.688−08	0.000+00	0.000+00	6.306+00
1	398	9.305+00	0.000+00	0.000+00	0.000+00	1.306+03	1.286+04	0.000+00
1	399	9.295+00	2.727+08	3.532−06	4.323−07	0.000+00	0.000+00	8.545+01
1	400	9.296+00	3.005+07	5.840−07	7.150−08	0.000+00	0.000+00	5.495+02